

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Covington**
Waterway: **Ohio River** Mile: 473 PWD: 17
Name: **Greater Cincinnati Marine Service, Ludlow Dock.**
Location: Mile 472.8, left bank, Ohio River, Ludlow, below the CSX Rail Transport Bridge. Datum: NPE
Operator: Greater Cincinnati Marine Service, Inc., Subsidiary of Carlisle Construction Co., Inc
Owner: Greater Cincinnati Marine Service, Inc., Subsidiary of Carlisle Construction Co., Inc.
Address: Foot of Locust Street Phone: 606/441-7200
Town: Ludlow State: KY County: Kenton
Railway Connection: None.
Purpose: Handling equipment and supplies; mooring barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 195 | 800 | Longitude (decimal): -84.54889
Remarks: Fleeting area fronting and extending downstream from work barge has capacity for 20 barges arranged in a block 5 barges long by 4 wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 712 Louisville District

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 1 PWD: 71
Name: **Tri-State Stone Corp. Wharf.**
Location: Mile 1.2, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Tri-State Stone Corp.
Owner: Tri-State Stone Corp.
Address: 935 23rd Street Phone: 304/453-1318
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of sand, gravel and magnetite, and occasionally coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.399722
Total Berthing Space (feet): 50 | | Longitude (decimal): -82.59361
Remarks: Tri-State Ready-Mix Co. maintains an open storage area with capacity for 9,000 tons of sand and gravel on adjacent downstream property.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42001 Dock Code: 101 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 3 PWD: 56
Name: **Ashland Petroleum Co., Crude Oil Dock.**
Location: Mile 3.2, left bank, Big Sandy River, Catlettsburg. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: U.S. Highway 23. Phone: 304/327-6404
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Receipt of crude oil, petroleum products, and methanol; shipment of lubricating oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.373333
Total Berthing Space (feet): 370 | | Longitude (decimal): -82.59361
Remarks: Six 6-inch pipelines extend from wharf to storage tanks at refinery in rear:

Tanks	(barrels)	Commodity	
150,000	1	Crude oil	1
337,000	1	Petroleum products	13
	1	Methanol	20,000

In addition one 4-inch steam line serves wharf.

Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42003 Dock Code: 202 Huntington District

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 4 PWD: 58
Name: **Ashland Petroleum Co. Heavy Oil Dock.**
Location: Mile 4.0, left bank, Big Sandy River, Catlettsburg. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: U.S. Highway 23. Phone: 304/327-6404
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of fuel oil and asphalt.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.3625
Total Berthing Space (feet): 390 | | Longitude (decimal): -82.59806
Remarks: Two 10-inch pipelines extend to wharf from 4 steel fuel oil storage tanks, total capacity 500,000 barrels; and 25 asphalt storage tanks, total capacity 1,000,000 barrels, at refinery in rear.

Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42004 Dock Code: 002 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Big Sandy River**
 Waterway: **Big Sandy River** Mile: 4 PWD: 57
 Name: **Ashland Petroleum Co., Light Oil Dock.**
 Location: Mile 3.7, left bank, Big Sandy River, Catlettsburg. Datum: NPE
 Operator: Ashland Petroleum Co. , Division of Ashland Oil, Inc.
 Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
 Address: U.S. Highway 23. Phone: 304/327-6404
 Town: Catlettsburg State: KY County: Boyd
 Railway Connection: None.
 Purpose: Shipment of mineral spirits, solvent, naphtha, cumene, xylene, benzene, and toluene; receipt of crude light oil and butane.

Depth Alongside (feet): 10 | | Latitude (decimal): 38.366944
 Total Berthing Space (feet): 390 | | Longitude (decimal): -82.59694

Remarks: Four 8- and five 6-inch pipelines extend from wharf to 34 steel storage tanks:

Tanks		(barrels)	Commodity
2	100,000	Mineral spirits	5 Crude light oil
4	80,000	Naphtha	2 Solvent 40,000
Cumene	4	Xylene	4 24,000
Benzene	7		71,000 Toluene
6Butane	2		20,000

Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42003 Dock Code: 702 Huntington District

Port: **Big Sandy River**
 Waterway: **Big Sandy River** Mile: 5 PWD: 60
 Name: **Pen Coal Corp., Big Sandy Dock.**
 Location: Mile 4.7, left bank, Big Sandy River, Catlettsburg. Datum: NPE
 Operator: Pen Coal Corp.
 Owner: Pen Coal Corp.
 Address: State Highway 757. Phone: 606/739-6311
 Town: Catlettsburg State: KY County: Boyd
 Railway Connection: None.
 Purpose: Shipment of coal.

Depth Alongside (feet): 9 | | Latitude (decimal): 38.351111
 Total Berthing Space (feet): 1510 | | Longitude (decimal): -82.59833

Remarks: Open storage area at rear has capacity for 30,000 tons of coal.

Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42004 Dock Code: 702 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 5 PWD: 59
Name: **Placer Coal, Wharf.**
Location: Mile 4.5, left bank, Big Sandy River, Catlettsburg. Datum: NPE
Operator: Placer Coal, Inc., a subsidiary of Placer Dome Limited.
Owner: Placer Coal, Inc., a subsidiary of Placer Dome Limited.
Address: 13125 State Highway 757. Phone: 606/739-8431
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.354722
Total Berthing Space (feet): 1000 | | Longitude (decimal): -82.59833
Remarks: Continuous belt loader also acts as radial stacker serving open storage area at rear, which has capacity for 30,000 tons of coal.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42004 Dock Code: 502 Huntington District

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 6 PWD: 68
Name: **Big Sandy Terminal Rail Dock..**
Location: Mile 6.4, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: Two surface tracks serve undertrack receiving pit, join 290-car capacity holding yard; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.333333
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.58222
Remarks: Hopper car receiving pit has twelve 40-ton receiving hoppers and is capable of handling approximately 400 tons per hour. Rail car storage yard has capacity for 120 loaded and 170 empty cars. Concrete-surfaced ope of barge loader (reclaim pad) has capacity for 10,000 tons.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42006 Dock Code: 201 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 6 PWD: 69
Name: **Big Sandy Terminal Truck Dock.**
Location: Mile 6.3, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.334444
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.58417
Remarks: Open storage area at rear served by a second truck receiving hopper and a radial stacker has capacity for approximately 400,000 tons of coal. Coal is reclaimed via front-end loaders to fixed 40-ton hoppers spanni A 50-ton ground-level receiving hopper in open storage area is served by a 36-inch electric belt conveyor extending to a rail car loading spout; rate 500 tons per hour. Terminal has capacity for mooring a total of 16of survey plans called for construction of a second truck to barge facility to be located either at the south end of the terminal, above Ref. No. 68, or at the north end above Ref. No. 70.

Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Dock Code: 201 Huntington District

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 6 PWD: 70
Name: **Big Sandy Terminal Unloading Dock..**
Location: Mile 6.1, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Midco Construction Co.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of ammonium nitrate and magnetite.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.336389
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.58528
Remarks: Storage dome at rear has capacity for 20,000 tons of material.

Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Dock Code: 201 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 7 PWD: 62
Name: **Riverway North, Dock.**
Location: Mile 7.2, left bank, Big Sandy River, Catlettsburg Datum: NPE
Operator: Riverway North, Inc.
Owner: Riverway North, Inc.
Address: 16232 U.S. Highway 23 Phone: 606/739-8412
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.321667
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.57472
Remarks: Open storage area at rear has capacity for 50,000 tons of coal.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42007 Dock Code: 202 Huntington District

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 7 PWD: 63
Name: **Riverway South, Dock.**
Location: Mile 7.4, left bank, Big Sandy River, Catlettsburg Datum: NPE
Operator: Riverway South, Inc.
Owner: Riverway South, Inc.
Address: 16232 U.S. Highway 23 Phone: 606/739-8412
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.319167
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.57333
Remarks: Open storage area at rear is served by 2 radial stackers and has capacity for 100,000 tons of coal.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42007 Dock Code: 402 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 7 PWD: 61
Name: **Tri-State Terminals Wharf.**
Location: Mile 6.6, left bank, Big Sandy River, Catlettsburg. Datum: NPE
Operator: Tri-State Terminals Inc.
Owner: Tri-State Terminals Inc.
Address: U.S. Highway 23. Phone: 606/327-6665
Town: Catlettsburg State: WV County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.331389
Total Berthing Space (feet): 2800 | | Longitude (decimal): -82.58111
Remarks: Thirteen ground level pits and one truck dumping pit serve open storage area at rear, which has capacity for 350,000 tons of coal.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42006 Dock Code: 602 Huntington District

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 8 PWD: 64
Name: **Kentucky May Coal Co. Dock.**
Location: Mile 7.8, left bank, Big Sandy River, Catlettsburg. Datum: NPE
Operator: Kentucky May Coal Co., Inc. and Marigold Docks Inc. (See Remarks).
Owner: Electric Fuels Corp.
Address: U.S. Highway 23 Phone: 606/739-8651
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.331667
Total Berthing Space (feet): 1260 | | Longitude (decimal): -82.57194
Remarks: Approximately 15 acres of open storage area at rear has capacity for 100,000 tons of coal. Marigold Docks, Inc. operates an adjacent 14 acre terminal and open storage area for 100,000 tons of coal, which is served by 4 ground level hoppers and a 60-inch electric belt conveyor connecting with the barge loading equipment described above. In addition two 10 cubic yard diesel front-endbulldozers serve the open storage area.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42007 Dock Code: 502 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 8 PWD: 65
Name: **Leon Services Co. Dock.**
Location: Mile 8.5, left bank, Big Sandy River, Catlettsburg. Datum: NPE
Operator: Leon Services Co.
Owner: David Jones and George Arrington.
Address: U.S. Highway 23 Phone: 606/329-0358
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.308333
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.57667
Remarks: Open storage area at rear has capacity for 90,000 tons of coal.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42008 Dock Code: 002 Huntington District

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 8 PWD: 67
Name: **Pen Coal Corp., Wayne County River Terminal Dock.**
Location: Mile 7.6, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Pen Coal Corp.
Owner: Pen Coal Corp.
Address: 3023 Big Sandy Road. Phone: 304/453-6140
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.318611
Total Berthing Space (feet): 1350 | | Longitude (decimal): -82.57167
Remarks: Open storage area at rear has capacity for 30,000 tons of coal.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42007 Dock Code: 601 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Big Sandy River**
Waterway: **Big Sandy River** Mile: 9 PWD: 66
Name: **Ashland Materials Dock No. 1.**
Location: Mile 8.6, left bank, Big Sandy River, Catlettsburg Datum: NPE
Operator: Ashland Materials, Inc.
Owner: Ruhr Kohle Trading Corp. (Riverton Coal Co.)
Address: 17318 U.S. Highway 23 Phone: 606/739-8423
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 38.305556
Total Berthing Space (feet): 1400 | | Longitude (decimal): -82.57861
Remarks: Open storage area at rear is served by 2 radial stackers and has capacity for 60,000 tons of coal.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42008 Dock Code: 502 Huntington District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 460 PWD: 113
Name: **Cargill Cincinnati Terminal Elevator Wharf.**
Location: Mile 460.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 6761 Kellogg Road. Phone: 513/232-8981
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.048333
Total Berthing Space (feet): 235 | | Longitude (decimal): -84.39667
Remarks: Grain elevator in rear consisting of 10 steel tanks has total capacity for 575,000 bushels. The elevator handles primarily corn, soybeans, and soft red winter wheat.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41521 Dock Code: 102 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 460 PWD: 112
Name: **Hilltop Basic Resources, East Cincinnati River Terminal Dock.**
Location: Mile 459.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Hilltop Basic Resources, Inc.
Owner: Hilltop Basic Resources, Inc.
Address: 6777 Kellogg Road. Phone: 513/232-1755
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt of concrete aggregate by self unloading vessel.
Depth Alongside (feet): 5 - 6 | | Latitude (decimal): 39.047778
Total Berthing Space (feet): 145 | | Longitude (decimal): -84.39444
Remarks: Open storage area at in rear has capacity for 200,000 tons
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41521 Dock Code: 501 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 466 PWD: 115
Name: **Arcadian Corp., Cincinnati Terminal Dock.**
Location: Mile 465.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Arcadian Corp.
Owner: Arcadian Corp.
Address: 64 Congress Street. Phone: 513/871-6567
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt and occasional shipment of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.44222
Remarks: Two 6-inch pipelines extend from wharf to 3 steel storage tanks at rear, total capacity 4,000,000 gallons.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Dock Code: 623 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 466 PWD: 114
Name: **Queen City Terminals Wharf.**
Location: Mile 465.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Queen City Terminals, Inc.
Owner: Queen City Terminals, Inc.
Address: 3806 Kellogg Road. Phone: 513/871-9018
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves tank car loading rack at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil, liquid fertilizer, and miscellaneous chemicals including caustic soda, ethylene glycol and methanol.
Depth Alongside (feet): 24 | | Latitude (decimal): 39.091667
Total Berthing Space (feet): 445 | | Longitude (decimal): -84.44
Remarks: Terminal operates as a public storage warehouse for bulk liquids. Three 12-, five 8-, and one 6-inch pipelines extend from wharf to 14 steel storage tanks at terminal in rear, total capacity 26,250,000 gallons. stations and truck scale located at rear. Facility has capacity for mooring 6 barges.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Dock Code: 631 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 468 PWD: 116
Name: **Noramco Terminals Corp. Wharf.**
Location: Mile 468.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Noramco Terminals Corp.
Owner: Noramco Terminals Corp.
Address: 1725 Eastern Avenue. Phone: 513/241-3131
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt and occasional shipment of palletized general cargo, lumber and steel products.
Depth Alongside (feet): 17 | | Latitude (decimal): 39.098333
Total Berthing Space (feet): 109 | | Longitude (decimal): -84.48389
Remarks: Material is unloaded directly into trucks. Approximately 5 acres of partially asphalt-surfaced open storage area is located at rear. In addition, approximately 20,000 square feet of storage area is available in a metal-covered building at rear.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Dock Code: 678 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 470 PWD: 117
Name: **Cincinnati Public Landing Wharf.**
Location: Mile 470.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: City of Cincinnati.
Owner: City of Cincinnati.
Address: Mehring Way Phone: 513/241-6550
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring showboat 'Majestic'.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 600 | | Longitude (decimal): -84.50333
Remarks: Concrete paved bank is used as a parking lot.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Dock Code: 511 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 471 PWD: 118
Name: **Hilltop Basic Resources Cincinnati River Terminal Wharf.**
Location: Mile 470.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Hilltop Basic Resources, Inc.
Owner: Hilltop Basic Resources, Inc.
Address: 511 Water Street. Phone: 513/721-0577
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt of sand, gravel, and crushed limestone.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 660 | | Longitude (decimal): -84.52
Remarks: Open storage area at rear has capacity for 200,000 tons of material. A ready- mix concrete plant with 2 truck loading stations is located at terminal.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Dock Code: 201 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 472 PWD: 121
Name: **Cincinnati Bulk Terminals, Grain Dock.**
Location: Mile 471.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp. (See Remarks)
Address: Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 445 | | Longitude (decimal): -84.53361
Remarks: Grain elevator in rear, consisting of 4 steel tanks, with total capacity for 120,000 bushels is owned by Central Soya Co., Inc.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 710 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 472 PWD: 119
Name: **Cincinnati Bulk Terminals, Loading Dock.**
Location: Mile 471.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.52889
Remarks: Storage building at rear has capacity for 3,000 tons of dry bulk material.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 710 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 472 PWD: 120
Name: **Cincinnati Bulk Terminals, Unloading Dock.**
Location: Mile 471.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of coal, coke and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.095
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.53028
Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Terminal has capacity for mooring 20 barges.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 710 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 472 PWD: 122
Name: **Valley Terminal Co. Cincinnati Dock.**
Location: Mile 472.1, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Valley Terminal-Cincinnati, Inc.
Owner: Valley Terminal-Cincinnati, Inc.
Address: Mehring Way and Carr Street. Phone: 513/721-5766
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Six surface tracks with total capacity for 14 cars serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of steel products and building materials.
Depth Alongside (feet): 30 | | Latitude (decimal): 39.098056
Total Berthing Space (feet): 180 | | Longitude (decimal): -84.53639
Remarks: One 30,000-square foot warehouse building in rear has capacity for 4,000 tons of material. Terminal has capacity for mooring 64 barges at shore moorings downstream of wharf arranged in 8 tiers each 8 barges wide
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 718 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 474 PWD: 124
Name: **Consolidated Grain & Barge Co., Cincinnati Wharf.**
Location: Mile 474.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 3164 Southside Avenue Phone: 513/244-7400
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves undertrack pit and loading spout at grain elevator in rear;
connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.083333
Total Berthing Space (feet): 525 | | Longitude (decimal): -84.5725
Remarks: Grain elevator complex at rear consisting of 9 steel storage tanks, one concrete silo, and one timber
flat storage building, has total capacity for 2,074,000 bushels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 751 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 474 PWD: 123
Name: **The Uno-Ven Co., Cincinnati Terminal Wharf.**
Location: Mile 474.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: The Uno-Ven Co.
Owner: The Uno-Ven Co.
Address: 3117 Southside Avenue Phone: 513/921-5600
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 10 cars serve facility at rear; connect with CSX Rail
Transport.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.087222
Total Berthing Space (feet): 89 | | Longitude (decimal): -84.56611
Remarks: Five 6-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity
105,000 barrels. Four warehouse buildings at rear have storage capacities of 7,890-, 18,960-, 20,830-,
and 13 respectively, for packaged lubricating oil. Latter warehouse has basement, sub-basement, and
tank basement with 5,330-, 2,450-, and 14,170-square feet of storage space, respectively.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 746 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 475 PWD: 127
Name: **Cargill Cincinnati Molasses Terminal Wharf.**
Location: Mile 474.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Cargill, Inc., Liquid Products Division.
Owner: Cargill, Inc., Liquid Products Division.
Address: 3335 Southside Avenue. Phone: 513/921-8800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt of molasses, caustic soda and miscellaneous vegetable oils.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.081389
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.57611
Remarks: Wharf was in the planning stage at time of survey. Type of construction and dimensions had not been finalized and were subject to change. Three 6-inch pipelines extend from wharf (bank) to 3 steel molasses storage capacity 1,560,000 gallons and to 20 additional tanks, total capacity 402,000 gallons at terminal in rear. One 3-inch steam- and one 1 1/2- inch compressed air pipelines serve facility.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 753 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 475 PWD: 128
Name: **Cohen Terminal Lower Dock.**
Location: Mile 475.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Mose Cohen & Sons Inc.
Owner: Mose Cohen & Sons Inc.
Address: 3401 Southside Avenue. Phone: 513/621-7080
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.081111
Total Berthing Space (feet): 250 | | Longitude (decimal): -84.57806
Remarks: Scrap metal is loaded directly from truck to barge.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 755 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 475 PWD: 126
Name: **Cohen Terminal Upper Dock.**
Location: Mile 474.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Mose Cohen & Sons Inc.
Owner: Mose Cohen & Sons Inc.
Address: 3291 Southside Avenue. Phone: 513/621-7080
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track on opposite of Southside Avenue in rear; connects with CSX Rail Transport.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.081667
Total Berthing Space (feet): 525 | | Longitude (decimal): -84.575
Remarks: A total of 13 acres of partly paved open storage area is located at rear and on opposite of Southside Avenue in rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 755 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 475 PWD: 130
Name: **I. Deutch & Sons Dock.**
Location: Mile 475.2, right bank Ohio River, Cincinnati. Datum: NPE
Operator: I. Deutch & Sons.
Owner: I. Deutch & Sons.
Address: 3521 Southside Avenue. Phone: 513/721-7256
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.08
Total Berthing Space (feet): 132 | | Longitude (decimal): -84.585
Remarks: Facility was in the pre-construction stage at time of survey. Completion was scheduled for 1992.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 717 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 475 PWD: 125
Name: **Kosmos Cement Co., Cincinnati Southside Terminal Wharf.**
Location: Mile 474.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Kosmos Cement Co., subsidiary of Southdown Inc.
Owner: Kosmos Cement Co., subsidiary of Southdown Inc.
Address: 3271 Southside Avenue. Phone: 513/251-3366
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt of cement.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.0825
Total Berthing Space (feet): 500 | | Longitude (decimal): -84.57361
Remarks: One 12-inch pneumatic pipeline extends from wharf to 3 concrete, cement storage silos in rear, total capacity approximately 12,000 tons. One 8-inch compressed air pipeline also serves wharf.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 754 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 475 PWD: 129
Name: **Southside River Rail Corp. Dock.**
Location: Mile 475.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Southside River Rail Corp.
Owner: Southside River Rail Corp.
Address: 3415 Southside Avenue. Phone: 513/251-4111
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves facility at rear; connects with CSX RailTransport.
Purpose: Receipt of caustic soda, liquid fertilizer, vegetable oils and naphtha.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.080556
Total Berthing Space (feet): 390 | | Longitude (decimal): -84.58
Remarks: Nine 6-inch pipelines extend from wharf to 23 steel storage tanks at terminal in rear, total capacity 20,000,000 gallons.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 756 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 476 PWD: 132
Name: **Kosmos Cement Co., Barkley Avenue Wharf.**
Location: Mile 476.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Kosmos Cement Co., Subsidiary of Southdown, Inc.
Owner: Kosmos Cement Co., Subsidiary of Southdown, Inc.
Address: 200 Barkley Avenue. Phone: 513/251-3366
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves loading station at rear; connects with CSX Rail Transport.
Purpose: Receipt of bulk cement by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.074722
Total Berthing Space (feet): 325 | | Longitude (decimal): -84.58722
Remarks: Two 10-inch pneumatic pipelines extend from wharf to 3 concrete, cement storage silos in rear, total capacity 12,000 tons. One truck loading spout is located under center silo. Two 6-inch compressed air pipelines
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 694 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 476 PWD: 131
Name: **Valvoline Cincinnati Dock.**
Location: Mile 476.2, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Not operated.
Owner: Valvoline Oil, Division of Ashland Oil, Inc.
Address: 3901 River Road Phone: 513/471-0115
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.075
Total Berthing Space (feet): 200 | | Longitude (decimal): -84.58556
Remarks: Three 6-inch pipelines, blanked at time of survey, extend from wharf to 2 steel storage tanks at rear, total capacity 60,000 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 786 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 477 PWD: 133
Name: **Ashland Petroleum Co., Cincinnati Terminal Dock.**
Location: Mile 476.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 4050 River Road. Phone: 513/347-1234
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves terminal in rear; connects with CSX Rail Transport.
Purpose: Receipt of petroleum products, chemicals, petrochemicals, and acids.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.073889
Total Berthing Space (feet): 400 | | Longitude (decimal): -84.60917
Remarks: One 8-, nine 6-, and one 4-inch pipelines extend from wharf to 7 steel petroleum products storage tanks, total capacity 315,800 barrels and 16 steel chemical storage tanks total capacity 16,136,000 gallons at te
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 355 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 477 PWD: 134
Name: **Ashland Petroleum Co., Cincinnati Terminal Texaco Dock.**
Location: Mile 477.1, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 4050 River Road. Phone: 513/347-1234
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.074444
Total Berthing Space (feet): 400 | | Longitude (decimal): -84.61833
Remarks: Five 10-inch pipelines extend from wharf to 14 steel storage tanks at terminal in rear, total capacity 214,000 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 355 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 479 PWD: 138
Name: **CF Industries Cincinnati Warehouse Wharf.**
Location: Mile 479.2, right bank Ohio River, Cincinnati. Datum: NPE
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: 5125 River Road. Phone: 513/941-6164
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track with capacity for 25 cars serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of dry bulk urea, phosphate, and liquid fertilizer.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.089444
Total Berthing Space (feet): 800 | | Longitude (decimal): -84.64722
Remarks: Three concrete and timber storage buildings at terminal in rear have total capacity for 60,000 tons of dry bulk fertilizer. One 12-inch pipeline extends from wharf to one steel storage tank at terminal, capacity Two stations for loading railroad cars and two stations for loading trucks are also located at terminal.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 801 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 479 PWD: 136
Name: **Defense Fuel Support Point, Cincinnati Terminal Wharf.**
Location: Mile 478.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Gatron Inc.
Owner: U.S. Government.
Address: 4820 River Road. Phone: 513/941-1700
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Four surface tracks serve tank car loading rack at terminal in rear; connect with CSX Rail Transport.
Purpose: Receipt of jet fuel and diesel fuel.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.083333
Total Berthing Space (feet): 320 | | Longitude (decimal): -84.63972
Remarks: Three 8-inch pipelines extend from wharf to 6 steel storage tanks at rear, total capacity 490,000 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 787 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 479 PWD: 135
Name: **Indiana Grain Cincinnati Wharf.**
Location: Mile 478.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Indiana Grain Cincinnati, Division of Indiana Farm Bureau Cooperative Association, In
Owner: Indiana Grain Cincinnati, Division of Indiana Farm Bureau Cooperative Association, Inc.
Address: 4837 River Road. Phone: 513/941-6760
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves undertrack pit and loading spout at grain elevator in rear;
connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.081944
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.6375
Remarks: Grain elevator in rear, consisting of 8 steel tanks, has total capacity for 1,400,000 bushels.
Approximately 0.2 mile above wharf, the Anderson Ferry operates between ramps at mile 477.4
Cincinnati and Stringtown right and left banks, respectively.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 641 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail
Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139
Remarks: Three 6-, and one 4-1inch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity
2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil
is loaded
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 826 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944
Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 826 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 479 PWD: 137
Name: **Shell Oil Co., Cincinnati Asphalt Plant Dock.**
Location: Mile 479.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Shell Oil Co.
Owner: Shell Oil Co.
Address: 5047 River Road. Phone: 513/941-1665
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.086667
Total Berthing Space (feet): 800 | | Longitude (decimal): -84.64444
Remarks: One 8-inch pipeline extends from wharf to 11 steel storage tanks at rear, total capacity 126,000 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 779 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 480 PWD: 144
Name: **Cargill Cincinnati, River Road Terminal Wharf.**
Location: Mile 479.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Cargill Inc.
Owner: Cargill Inc.
Address: 5495 River Road. Phone: 513/941-7111
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves elevator at rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096111
Total Berthing Space (feet): 365 | | Longitude (decimal): -84.65778
Remarks: Grain elevator in rear, consisting of 4 steel tanks and one concrete silo, has capacity for 380,000 bushels of grain.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 821 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 480 PWD: 145
Name: **McGinnis Cincinnati Terminal Upper Fleet Mooring.**
Location: Mile 479.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.65889
Remarks: Facility has capacity for mooring 5 barges abreast.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 869 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 480 PWD: 146
Name: **McGinnis Cincinnati Terminal Wharf.**
Location: Mile 480.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 435 | | Longitude (decimal): -84.65972
Remarks: Facility has capacity for mooring 5 barges abreast at lower end. One 350-ton floating drydock is moored at wharf. Two wharf barges are equipped with outlets for compressed air, oxygen, and welding gas.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 869 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361
Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 826 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444
Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 826 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194
Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 826 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 482 PWD: 147
Name: **McGinnis Cincinnati Terminal Lower Fleet Mooring.**
Location: Mile 481.3 to 481.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleetling.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.097778
Total Berthing Space (feet): 2500 | | Longitude (decimal): -84.66278
Remarks: Facility has capacity for approximately 56 barges arranged in 12 tiers, 4- and 5- barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 869 Louisville District

Port: **Cincinnati**
Waterway: **Ohio River** Mile: 483 PWD: 148
Name: **CGB Marine Services, Saylor Park Mooring.**
Location: Mile 482.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: CGB Marine Services, Subsidiary of Consolidated Grain & Barge Co.
Owner: Archer Daniels Midland Co.
Address: 6555 River Road Phone: 513/941-8200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleetling and repair.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.110278
Total Berthing Space (feet): 275 | | Longitude (decimal): -84.69444
Remarks: Three 6-inch pipelines extending from wharf to 11 concrete storage bins in building at rear total capacity 104 tons of flour, were out of service at time of survey. Fleetling area at shore moorings above wharf has capacity for 35 barges arranged in 7 tiers each 5 barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 875 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Covington**
Waterway: **Ohio River** Mile: 471 PWD: 18
Name: **Covington Landing, BB Riverboats Dock.**
Location: Mile 470.7, left bank, Ohio River, Covington, below the Covington and Cincinnati Suspension Bridge. Datum: NPE
Operator: BB Riverboats.
Owner: BB Riverboats.
Address: Foot of Madison Avenue. Phone: 606/261-8500
Town: Covington State: KY County: Kenton
Railway Connection: None.
Purpose: Mooring excursion boats; boarding passengers.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.090833
Total Berthing Space (feet): 320 | | Longitude (decimal): -84.51944
Remarks: The excursion boats 'Becky Thatcher', 'Mark Twain', 'Cincinnati-Covington Funliner' and 'Kon Tiki' operate from wharf. Wharf is adjacent to the lower end of the Covington Landing floating entertainment complex which consists of a 300- by 100-foot wharf boat and the 270- by 70-foot sternwheel vessel 'Spirit of America' replica.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 680 Louisville District

Port: **Covington**
Waterway: **Ohio River** Mile: 474 PWD: 16
Name: **B P Oil Co., Pipeline Terminal, Bromley Wharf.**
Location: Mile 474.2, left bank, Ohio River, Bromley. Datum: NPE
Operator: B P Oil Co.
Owner: B P Oil Co.
Address: 409 River Road Phone: 606/261-8605
Town: Bromley State: KY County: Kenton
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 13 | | Latitude (decimal): 39.081389
Total Berthing Space (feet): 238 | | Longitude (decimal): -84.56667
Remarks: Two 6-inch pipelines extend from wharf to 9 steel storage tanks at rear, total capacity 416,000 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 748 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Covington**
Waterway: **Ohio River** Mile: 476 PWD: 15
Name: **Chevron U.S.A., Covington Terminal Wharf.**
Location: Mile 475.5, left bank, Ohio River, Covington. Datum: NPE
Operator: Chevron U.S.A., Inc.
Owner: Chevron U.S.A., Inc.
Address: 700 River Road Phone: 606/331-6650
Town: Covington State: KY County: Kenton
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.074722
Total Berthing Space (feet): 400 | | Longitude (decimal): -84.58917
Remarks: Two 10- and two 6-inch pipelines extend from wharf to 11 steel storage tanks in rear, total capacity 210,000 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 752 Louisville District

Port: **Frankfort, KY**
Waterway: **Kentucky River** Mile: 65 PWD: 2
Name: **Central Kentucky Sand and Gravel Co. Dock.**
Location: Left bank, Kentucky River, mile 65.1, approximately 1,000 feet above Lock and Dam No. 4, Frankfort. Datum: NPE
Operator: Central Kentucky Sand and Gravel Co. Inc.
Owner: Central Kentucky Sand and Gravel Co. Inc.
Address: 770 Wilkinson Boulevard. Phone: 502/227-7366
Town: Frankfort State: KY County: Franklin
Railway Connection: None.
Purpose: Shipment of sand and gravel
Depth Alongside (feet): 9 | | Latitude (decimal): 38.209444
Total Berthing Space (feet): 135 | | Longitude (decimal): -84.87389
Remarks: Open storage area at rear is served by a traveling stacker and has capacity for approximately 40,000 tons of material.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41065 Dock Code: 101 Louisville District

Port Series No. 62

Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Kentucky River**
 Waterway: **Kentucky River** Mile: PWD: 3
 Name: **Bristol Steel and Iron Works, Carrollton Erection Yard Dock**
 Location: Mile 0.4, left bank, Kentucky River, approximately 800 feet above U. S. Highway 42 bridge, Carrollton. Datum: NPE
 Operator: Not operated (see Remarks).
 Owner: Bristol Steel and Iron Works, Inc.
 Address: Second and Seminary Streets. Phone: 502/732-4438
 Town: Carrollton State: KY County: Carroll
 Railway Connection: One surface track serves facility at rear; connects with The Carrollton Railroad.
 Purpose: Not used.
 Depth Alongside (feet): 10 | | Latitude (decimal): 38.677778
 Total Berthing Space (feet): 800 | | Longitude (decimal): -85.18778
 Remarks: At time of survey (1991) facility, including a steel fabrication plant and approximately ten acres of open area, was inactive, however, it was being maintained in operating condition while being offered for sale.
 Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41000 Dock Code: 002 Louisville District

Port: **Licking River.**
 Waterway: **Licking River.** Mile: 1 PWD: 24
 Name: **The David J. Joseph Co. Docks.**
 Location: Mile 1.1, right bank, Licking River, Newport, 600 feet above- and 300 feet below CSX Rail Transport Brid Datum: NPE
 Operator: The David J. Joseph Co.
 Owner: The David J. Joseph Co.
 Address: 1220 Licking Pike. Phone: 606/291-5509
 Town: Newport State: KY County: Campbell
 Railway Connection: Four surface tracks serve scrap metal processing facility at rear; connect with CSX Rail Transport.
 Purpose: Shipment of scrap metal.
 Depth Alongside (feet): 10 | 10 | Latitude (decimal): 39.0775
 Total Berthing Space (feet): 160 | 30 | Longitude (decimal): -84.49778
 Remarks: Wharves are approximately 1,000 feet apart. Scrap metal processing plant and open storage for approximately 10,000 tons of scrap metal are located at rear.
 Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41500 Dock Code: 150 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Licking River.**
Waterway: **Licking River.** Mile: 2 PWD: 23
Name: **Newport Steel Corp., Wilder Plant Wharf.**
Location: Mile 2.1, right bank, Licking River, Wilder. Datum: NPE
Operator: Newport Steel Corp.
Owner: Newport Steel Corp.
Address: Licking Pike. Phone: 606/292-6020
Town: Wilder State: KY County: Campbell
Railway Connection: Four surface tracks extending to face serve plant at rear; connect with CSX Rail Transport.
Purpose: Shipment of steel pipe and tubing.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.064167
Total Berthing Space (feet): 350 | | Longitude (decimal): -84.495
Remarks: Five-acre open storage area at rear has capacity for 20,000 tons of steel products.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41500 Dock Code: 302 Louisville District

Port: **Licking River.**
Waterway: **Licking River.** Mile: 3 PWD: 19
Name: **Ashland Petroleum Co., Covington Terminal Dock.**
Location: Mile 2.7, left bank, Licking River, Covington, approximately 1,500 feet below CSX Rail Transport Bridge. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 230 East 33rd Street. Phone: 606/581-5800
Town: Covington State: KY County: Kenton
Railway Connection: None.
Purpose: Receipt of asphalt and petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.055
Total Berthing Space (feet): 260 | | Longitude (decimal): -84.50583
Remarks: Five 8-inch pipelines extend from wharf to 5 steel asphalt storage tanks, total capacity 85,000 barrels, and to 9 product storage tanks, total capacity 85,000 barrels at terminal in rear. One 4-inch steam line
se
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41500 Dock Code: 413 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Licking River.**
Waterway: **Licking River.** Mile: 3 PWD: 22
Name: **Licking River Terminal Co. Wharf.**
Location: Mile 2.8, right bank, Licking River, Wilder. Datum: NPE
Operator: Licking River Terminal Co., subsidiary of Oglebay Norton Co.
Owner: Licking River Terminal Co., subsidiary of Oglebay Norton Co.
Address: 500 Licking Pike. Phone: 606 431-5545
Town: Wilder State: KY County: Campbell
Railway Connection: Five surface tracks serve rotary dumper at rear; connect with CSX Rail Transport. (See Remarks.)
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.054722
Total Berthing Space (feet): 1250 | | Longitude (decimal): -84.48833
Remarks: Rotary car dumper handles 30 railroad cars per hour. Five storage tracks have capacity for 220 loaded and 111 empty railroad cars.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41500 Dock Code: 523 Louisville District

Port: **Licking River.**
Waterway: **Licking River.** Mile: 4 PWD: 20
Name: **Greater Cincinnati Marine Service, Wilder Dock.**
Location: Mile 4.3, right bank, Licking River, Wilder, approximately one mile below Interstate Highway 275 twin br Datum: NPE
Operator: Greater Cincinnati Marine Service, Inc. and Carlisle Construction Co., Inc.
Owner: Greater Cincinnati Marine Service, Inc., subsidiary of Carlisle Construction Co., Inc.
Address: 840 Licking Pike. Phone: 606/441-7200
Town: Wilder State: KY County: Campbell
Railway Connection: None.
Purpose: Receipt of structural steel, reinforced concrete beams, and miscellaneous construction materials; handling construction equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.02
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.4875
Remarks: Approximately 50 acres of open storage area for construction materials and equipment is located at rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41500 Dock Code: 715 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Licking River.**
Waterway: **Licking River.** Mile: 5 PWD: 21
Name: **LaFarge, Graystone Wharf**
Location: Mile 5.3, right bank, Licking River, Wilder, approximately 1,500 feet above Interstate Highway 275 twin Datum:
Operator: Graystone of Kentucky Inc.
Owner: Graystone of Kentucky Inc.
Address: 840 Licking Pike. Phone: 606/441-3533
Town: Wilder State: KY County: Campbell
Railway Connection: None.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): | | Latitude (decimal): 39.018333
Total Berthing Space (feet): | | Longitude (decimal): -84.42
Remarks: Facility was constructed subsequent to field survey
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41500 Dock Code:

Port: **Ohio River**
Waterway: **Ohio River** Mile: 318 PWD: 54
Name: **Ashland Petroleum Co., Catlettsburg Marine Repair Terminal Dock.**
Location: Mile 318.3, left bank, Ohio River, Catlettsburg. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 13th and Center Streets. Phone: 606/329-5374
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Mooring company-owned towboats and barges for maintenance and repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.432222
Total Berthing Space (feet): 528 | | Longitude (decimal): -82.60333
Remarks: Floating wharf barge is equipped with outlets for steam and welding gas.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42663 Dock Code: 802 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 318 PWD: 73
Name: **McGinnis South Point Dock No. 3.**
Location: Mile 317.6, right bank Ohio River, South Point. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Second Street Extension Phone: 614/377-4391
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring floating drydocks; mooring vessels for fleeting. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 38.424722
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.59583
Remarks: One 1,200-ton floating drydock is moored at wharf. 'Ernie's Fleet' fronts Dock 3 as well as Docks 2 and 1 (See Remarks, Ref. No. 72). 'Darrell's Fleet' at 4 permanently-moored spar barges located approximately 1, capacity for 24 barges arranged in 4 tiers, each 6 barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42673 Dock Code: 030 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 318 PWD: 72
Name: **McGinnis South Point Docks 1 and 2.**
Location: Mile 317.5, right bank Ohio River, South Point. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Second Street Extension Phone: 614/377-4391
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for fleeting; mooring floating drydocks; mooring vessels for repair.
Depth Alongside (feet): 10 - 20 | 10 - 20 | Latitude (decimal): 38.423611
Total Berthing Space (feet): 1090 | 460 | Longitude (decimal): -82.59472
Remarks: 'Ernie's Fleet' fronts both Docks 1 and 2 as well as Dock 3 (Ref No. 73) and has capacity for 72 barges arranged in 13 tiers, each 6 barges wide. One 2,000-ton floating drydock is moored at Dock 1. One work barg with outlets for welding gas and natural gas.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42673 Dock Code: 030 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 318 PWD: 55
Name: **Merdie Boggs & Sons, Catlettsburg Wharf.**
Location: Mile 317.6, left bank, Ohio River, Catlettsburg. Datum: NPE
Operator: Merdie Boggs & Sons, Inc.
Owner: Merdie Boggs & Sons, Inc.
Address: 1900 Center Street Phone: 606/739-4154
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Loading midstream fueling barges; fueling towboats; mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.423889
Total Berthing Space (feet): 230 | | Longitude (decimal): -82.6
Remarks: One company-owned midstream fueling barge and eight company-owned fleeting boats are based at wharf. Approximately 5,000 feet along adjacent bank is used for fleeting and has capacity for approximately 30 barges each 5 barges wide. Fueling pipelines extend to face from 2 steel tank barges, total capacity 11,000 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42663 Dock Code: 015 Huntington District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 319 PWD: 50
Name: **Armco Steel Co., Ashland Works, Coke Plant, Coal Unloading Dock.**
Location: Mile 319.4, left bank, Ohio River, Catlettsburg. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: Foot of 40th Street Phone: 606/329-7873
Town: Catlettsburg State: KY County: Boyd
Railway Connection: Trackage serving plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal; mooring barges for fleeting (See Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 38.449444
Total Berthing Space (feet): 390 | | Longitude (decimal): -82.60778
Remarks: Open storage area in rear has capacity for approximately 250,000 tons of coal. Merdie Boggs and Sons Inc. operates their 'Solvay Fleet' with capacity for 30 barges arranged in 5 tiers each 6 barges wide, at shore immediately upstream from wharf.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41661 Dock Code: 402 Huntington District

Port Series No. 62

Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
 Waterway: **Ohio River** Mile: 319 PWD: 52
 Name: **Ashland Coal, Catlettsburg Dock.**
 Location: Mile 318.9, left bank, Ohio River, Catlettsburg. Datum: NPE
 Operator: Not operated.
 Owner: Midway, Inc.
 Address: Foot of 53rd Street Phone: 606/739-4166
 Town: Catlettsburg State: KY County: Boyd
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 13 | | Latitude (decimal): 38.442222
 Total Berthing Space (feet): 600 | | Longitude (decimal): -82.60667
 Remarks: At time of survey (1991) terminal had suspended operations and open storage area at rear with capacity for 200,000 tons of coal was empty.
 Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42663 Dock Code: 901 Huntington District

Port: **Ohio River**
 Waterway: **Ohio River** Mile: 319 PWD: 74
 Name: **Ashland Services Co., South Point Dock.**
 Location: Mile 318.5, right bank Ohio River, South Point. Datum: NPE
 Operator: Ashland Services Co.
 Owner: Ashland Oil, Inc.
 Address: County Highway 1 Phone: 614/377-2765
 Town: South Point State: OH County: Lawrence
 Railway Connection: One surface track serves terminal at rear; connects with Norfolk and Western Railway.
 Purpose: Receipt and shipment of mineral spirits; shipment of ethanol; mooring barges for fleeting (See Remarks).
 Depth Alongside (feet): 10 | | Latitude (decimal): 38.436667
 Total Berthing Space (feet): 350 | | Longitude (decimal): -82.60083
 Remarks: One 8-inch pipeline extends from wharf to 2 steel mineral spirits storage tanks, total capacity 1,680,000 gallons, and one 8-inch pipeline extends from 2 ethanol storage tanks, total capacity 2,000,000 gallons. A 4-inch pipeline on wharf was out of service. McGinnis Inc. 'Ritchie Fleet' at shore moorings located below wharf has capacity for 30 barges arranged in 5 tiers, each 6 barges wide.
 Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41662 Dock Code: 302 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 319 PWD: 51
Name: **Chevron U.S.A., Catlettsburg Terminal Dock.**
Location: Mile 319.0, left bank, Ohio River, Catlettsburg. Datum: NPE
Operator: Chevron U.S.A., Inc.
Owner: Chevron U.S.A., Inc.
Address: 215 53rd Street Phone: 606/325-0416
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 38.443611
Total Berthing Space (feet): 400 | | Longitude (decimal): -82.60667
Remarks: Four 6-inch pipelines extend from lower cell to 12 steel storage tanks at terminal in rear, total capacity 137,000 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41662 Dock Code: 402 Huntington District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 319 PWD: 53
Name: **R & D Associates Wharf.**
Location: Mile 318.9 - 318.5, left bank, Ohio River, Catlettsburg. Datum: NPE
Operator: R & D Associates, Inc. and McGinnis, Inc.
Owner: R & D Associates, Inc.
Address: Phone: 614/377-4391
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: R & D Associates, Inc.: Mooring barges and towboats for repair; mooring floating drydock. McGinnis, Inc.: Mooring barges for fleetings. (See Remarks.)
Depth Alongside (feet): 10 - 12 | 10 - 20 | 10 - 15 Latitude (decimal): 38.438611
Total Berthing Space (feet): 400 | 16 | 20 Longitude (decimal): -82.60556
Remarks: One 2,500-ton floating drydock is moored at upper end of wharf. McGinnis, Inc. Elkhorn Fleets are located at shore moorings on upper side of wharf extending to mile 318.5. Lower Fleet is normally is used for 300- arranged in a block 4 barges long by 4 wide and Upper Fleet is used for 195- by 35-foot barges arranged in a block 4 barges long by 5 wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42663 Dock Code: 801 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 320 PWD: 48
Name: **Armco Steel Co., Ashland Works Coke Plant, Coal Tar Dock.**
Location: Mile 320.3, left bank, Ohio River, Ashland. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: Foot of 40th Street Phone: 606/329-7873
Town: Ashland State: KY County: Boyd
Railway Connection: Trackage serving plant at rear; connects with CSX Rail Transport.
Purpose: Shipment of coal tar; mooring barges for fleetings (see Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 38.461111
Total Berthing Space (feet): 175 | | Longitude (decimal): -82.60944
Remarks: One 6-inch pipeline extends to wharf from 4 steel storage tanks in rear, total capacity 47,600 barrels. McGinnis, Inc. operates their 'Armco Fleet' with capacity for 33 barges arranged in 11 tiers each 3 barges wide, at shore moorings located at mile 321, approximately 0.7 miles downstream from wharf.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41661 Dock Code: 702 Huntington District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 320 PWD: 75
Name: **Barge & Rail Terminals Wharf.**
Location: Mile 319.6, right bank Ohio River, South Point. Datum: NPE
Operator: Barge & Rail Terminals Inc.
Owner: Thomas L. Hatfield.
Address: County Highway 1 Phone: 614/377-2460
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Shipment of grain; mooring barges. (See Remarks.)
Depth Alongside (feet): 12 | | Latitude (decimal): 38.451667
Total Berthing Space (feet): 750 | | Longitude (decimal): -82.60333
Remarks: Steel frame grain storage building at rear has capacity for approximately 29,000 bushels. McGinnis Inc. 'Lowman Fleet' at shore moorings located below wharf has capacity for nine 210- by 45-foot barges arranged in 3 tiers, each 3 barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41661 Dock Code: 901 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 320 PWD: 76
Name: **Lower South Point Fleet Moorings.**
Location: Mile 319.8 to 320.7, right bank Ohio River, South Point. Datum: NPE
Operator: Merdie Boggs & Sons and McGinnis, Inc.
Owner: Merdie Boggs & Sons and McGinnis, Inc.
Address: Phone: 606/739-4154
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 38.463889
Total Berthing Space (feet): 35 | 36 | 126 Longitude (decimal): -82.60556
Remarks: Merdie Boggs & Sons operates the upstream 'Perry Fleet' arranged in 5 tiers each 7 barges wide and the downstream 'Upper & Lower 29 Fleets' arranged in 21 tiers each 6 barges wide and McGinnis Inc. operates the Fleet' arranged in 6 tiers each 6 barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41661 Dock Code: 802 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 320 PWD: 49
Name: **Merdie Boggs & Sons Leon 29 Fleet Mooring.**
Location: Mile 319.8, left bank, Ohio River, Catlettsburg. Datum: NPE
Operator: Merdie Boggs & Sons, Inc.
Owner: Merdie Boggs & Sons, Inc.
Address: Phone: 606/739-4154
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.453889
Total Berthing Space (feet): 4000 | | Longitude (decimal): -82.60806
Remarks: Fleet has capacity for 48 barges arranged in 8 tiers, each 6 barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 42663 Dock Code: 402 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 322 PWD: 47
Name: **Mansbach Metal Co. Wharf.**
Location: Mile 322.3, left bank, Ohio River, Ashland. Datum: NPE
Operator: Mansbach Metal Co.
Owner: Mansbach Metal Co.
Address: 1900 Front Street Phone: 606/329-9600
Town: Ashland State: KY County: Boyd
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of scrap metal; coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.479722
Total Berthing Space (feet): 175 | | Longitude (decimal): -82.63417
Remarks: One 200-ton marine railway located at upper end is used to remove barges from river for scrapping.
Open storage area at rear has capacity for 40,000 tons of scrap metal.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41655 Dock Code: 134 Huntington District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 322 PWD: 46
Name: **Mansbach Metal Co., Coal Wharf.**
Location: Mile 322.4, left bank, Ohio River, Ashland. Datum: NPE
Operator: Mansbach Metal Co.
Owner: Mansbach Metal Co.
Address: 1900 Front Street Phone: 606/329-9600
Town: Ashland State: KY County: Boyd
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Occasional shipment of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.480556
Total Berthing Space (feet): 140 | | Longitude (decimal): -82.63639
Remarks: -
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41658 Dock Code: 134 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 323 PWD: 77
Name: **Oliver M. Elam Jr. Co., Dock No. 1.**
Location: Mile 323.4, right bank Ohio River, Coal Grove. Datum: NPE
Operator: Not operated.
Owner: Oliver M. Elam, Jr. Co., Inc.
Address: Foot of Lane Street Phone: 606/324-6186
Town: Coal Grove State: OH County: Lawrence
Railway Connection: One unused surface track at rear; connects with Norfolk and Western Railway.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.49
Total Berthing Space (feet): 500 | | Longitude (decimal): -82.64889
Remarks: -
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41657 Dock Code: 860 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 324 PWD: 78
Name: **Oliver M. Elam Jr. Co., Docks Nos. 2 and 3.**
Location: Mile 323.7, right bank Ohio River, Coal Grove. Datum: NPE
Operator: Oliver M. Elam, Jr. Co., Inc.
Owner: Oliver M. Elam, Jr. Co., Inc.
Address: 510 Riverside Drive. Phone: 606/324-6186
Town: Coal Grove State: OH County: Lawrence
Railway Connection: None.
Purpose: Receipt and shipment of coal, dry pitch, limestone, and miscellaneous dry bulk commodities.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.494444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -82.65417
Remarks: Open storage area at rear has capacity for 100,000 tons of dry bulk commodities. Dry bulk commodities are unloaded by crane directly into trucks at a rate of 250 tons per hour.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41657 Dock Code: 860 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 325 PWD: 81
Name: **Action Terminals, Ironton Wharf.**
Location: Mile 324.9, right bank Ohio River, Ironton. Datum: NPE
Operator: Not operated.
Owner: Action Terminals, Inc.
Address: 2914 South Third Street. Phone: 614/533-0000
Town: Ironton State: OH County: Lawrence
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 4 | | Latitude (decimal): 38.509444
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.6675
Remarks: Three 6- and one 4-inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 103,500 barrels. At time of survey (1991) tanks were being supplied solely by tank truck; however, maintained in useable condition. A breasting barge is used to provide berth in adequate depth.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41654 Dock Code: 907 Huntington District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 325 PWD: 80
Name: **Allied Signal Corp., Ironton Tar Plant Dock.**
Location: Mile 324.6, right bank Ohio River, Ironton. Datum: NPE
Operator: Allied Signal Corp.
Owner: Allied Signal Corp.
Address: 3330 South Third Street. Phone: 614/533-1040
Town: Ironton State: OH County: Lawrence
Railway Connection: One surface track serves plant at rear, connects with Norfolk and Western Railway.
Purpose: Receipt and shipment of coal tar and creosote.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.503333
Total Berthing Space (feet): 135 | | Longitude (decimal): -82.66278
Remarks: Two 6-inch pipelines extend from wharf to 2 steel coal tar, storage tanks, total capacity 15,000 barrels; and one 630,000-gallon creosote storage tank, at plant in rear.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41656 Dock Code: 900 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 325 PWD: 79
Name: **Ironton Coal Co. Wharf.**
Location: Mile 324.5, right bank Ohio River, Ironton. Datum: NPE
Operator: Ironton Coal Co., Inc.
Owner: Ironton Coal Co., Inc.
Address: 3400 South Third Street. Phone: 614/532-5322
Town: Ironton State: OH County: Lawrence
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.503056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.66167
Remarks: Open storage area at rear with 3 ground level hoppers for reclamation has capacity for 140,000 tons of coal.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41656 Dock Code: 898 Huntington District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 325 PWD: 82
Name: **Rail River Terminal Co., Dock.**
Location: Mile 325.0, right bank Ohio River, Ironton. Datum: NPE
Operator: Rail River Terminal Co.
Owner: Rail River Terminal Co.
Address: 101 Dayton Lane Phone: 614/532-6100
Town: Ironton State: OH County: Lawrence
Railway Connection: One unused surface track at rear connects with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.509722
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.66917
Remarks: Open storage area at rear has capacity for 400,000 tons of coal.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41657 Dock Code: 850 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 326 PWD: 44
Name: **Armco Steel Co., Ashland Works Barge Dock.**
Location: Mile 325.7, left bank, Ohio River, Ashland. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: West Winchester Avenue. Phone: 606/329-7873
Town: Ashland State: KY County: Greenup
Railway Connection: Plant trackage in rear connects with CSX Rail Transport.
Purpose: Receipt of iron ore and scrap metal; shipment of slag and pig iron.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.513611
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.67889
Remarks: Open storage area at rear of face has capacity for approximately 1,000 cubic yards of miscellaneous materials. Ore yard approximately one mile in rear has capacity for 1,000,000 tons of ore (4 months supply).
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41655 Dock Code: 082 Huntington District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 326 PWD: 45
Name: **Armco Steel Co., Ashland Works, River Terminal Dock.**
Location: Mile 325.5, left bank, Ohio River, Ashland. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: West Winchester Avenue. Phone: 606/329-7873
Town: Ashland State: KY County: Greenup
Railway Connection: Plant trackage in rear connects with CSX Rail Transport.
Purpose: Shipment of steel; occasional receipt of iron ore and scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.512222
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.67778
Remarks: Two of the cellular breasting dolphins support outer end of a cantilevered, metal-covered, steel structure for the bridge crane.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41655 Dock Code: 082 Huntington District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 327 PWD: 83
Name: **Rich Oil, Ironton Dock.**
Location: Mile 326.8, right bank Ohio River, Ironton, approximately 1,100 feet above Ironton- Datum: NPE
Russell Bridge.
Operator: Rich Oil, Inc.
Owner: Rich Oil, Inc.
Address: 620 Front Street Phone: 614/532-9598
Town: Ironton State: OH County: Lawrence
Railway Connection: None.
Purpose: Receipt of gasoline.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.529722
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.68528
Remarks: Two 6-inch pipelines extend from shore to 3 steel storage tanks at rear, total capacity 45,000 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41654 Dock Code: 939 Huntington District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 328 PWD: 43
Name: **CSX Rail Transport, Russell Yards, Fuel Oil Wharf.**
Location: Mile 327.7, left bank, Ohio River, Russell. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: CSX Rail Transport.
Address: River Road Phone: 606/833-7225
Town: Russell State: KY County: Greenup
Railway Connection: CSX Rail Transport, Russell Yards located in rear.
Purpose: Receipt of diesel oil.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.539444
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.69833
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 22,400 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41653 Dock Code: 202 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 329 PWD: 84
Name: **Kosmos Cement Co., Ironton Wharf.**
Location: Mile 329.4, right bank Ohio River, Ironton. Datum: NPE
Operator: Not operated.
Owner: Kosmos Cement Co. Inc.
Address: 2500 South Third Street Phone: 304/453-6331
Town: Ironton State: OH County: Lawrence
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): | | Latitude (decimal): 38.555556
Total Berthing Space (feet): 150 | | Longitude (decimal): -82.73639
Remarks: Facility was formerly used for shipment of cement produced at plant located in Superior, Ohio. Four unused concrete storage silos at rear have total capacity for 2,500 tons. At time of survey (1991) facility had and storage silos were empty.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41651 Dock Code: 501 Huntington District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 330 PWD: 85
Name: **Collins Mining Co. Wharf.**
Location: Mile 330.0, right bank Ohio River, Hanging Rock. Datum: NPE
Operator: Collins Mining Co.
Owner: Collins Mining Co.
Address: Phone: 614/532-9400
Town: Hanging Rock State: OH County: Lawrence
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.559444
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.73278
Remarks: Open storage area at rear has capacity for 2,000 tons of coal.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41650 Dock Code: 901 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 331 PWD: 86
Name: **Hanging Rock Coal Co., Dock.**
Location: Mile 331.0, right bank Ohio River, Hanging Rock. Datum: NPE
Operator: Not operated.
Owner: Hanging Rock Coal Co.
Address: U. S. Highway 52. Phone: 614/532-8165
Town: Hanging Rock State: OH County: Lawrence
Railway Connection: One surface track serves rail receiving pit at rear; connects with Norfolk and Western Railway.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.558333
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.74972
Remarks: Open storage area at rear has capacity for 200,000 tons of coal.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41650 Dock Code: 001 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 333 PWD: 87
Name: **Dow Chemical U.S.A., Hanging Rock Plant Dock.**
Location: Mile 333.2, right bank Ohio River, Hanging Rock. Datum: NPE
Operator: Dow Chemical U.S.A.
Owner: Dow Chemical U.S.A.
Address: Phone: 614/532-4149
Town: Hanging Rock State: OH County: Lawrence
Railway Connection: Two surface tracks serve plant at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.561667
Total Berthing Space (feet): 175 | | Longitude (decimal): -82.79056
Remarks: One 6-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 1,600,000 gallons.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41647 Dock Code: 801 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 333 PWD: 42
Name: **Du Pont Wurtland Plant Dock.**
Location: Mile 333.1, left bank Ohio River, Wurtland. Datum: NPE
Operator: E. I. du Pont de Nemours & Co.
Owner: E. I. du Pont de Nemours & Co.
Address: Harris Road Phone: 606/833-1212
Town: Wurtland State: KY County: Greenup
Railway Connection: Six surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of sulfuric acid; receipt of liquid sulphur.
Depth Alongside (feet): 24 | | Latitude (decimal): 38.557222
Total Berthing Space (feet): 110 | | Longitude (decimal): -82.78972
Remarks: One 6-inch pipeline extends from wharf to 6 sulfuric acid storage tanks, total capacity 976,800 gallons, and one 8-inch pipeline extends to one 13,000 gallon-liquid sulphur tank at plant in rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41647 Dock Code: 902 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 334 PWD: 41
Name: **Debbie Jo Dock.**
Location: Mile 333.8, left bank, Ohio River, Wurtland. Datum: NPE
Operator: Debbie Jo Dock, Inc.
Owner: Debbie Jo Dock, Inc.
Address: 2225 Ashland Road Phone: 606/473-7341
Town: Wurtland State: KY County: Greenup
Railway Connection: One surface track serving open storage area connecting with CSX Rail Transport is planned.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.561944
Total Berthing Space (feet): 1325 | | Longitude (decimal): -82.80389
Remarks: Open storage area at rear is served by a rotary stacker and has capacity for 750,000 tons of coal.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41648 Dock Code: 002 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 335 PWD: 89
Name: **McGinnis Haverhill, Lower Mooring.**
Location: Mile 335.2, right bank Ohio River, Haverhill. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Old U.S. Highway 52 Phone: 614/377-4391
Town: Haverhill State: OH County: Scioto
Railway Connection: None.
Purpose: Mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.573333
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.81833
Remarks: Fleeting area at upper end has capacity for mooring 25 barges arranged in 5 tiers, each 5 barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41646 Dock Code: 201 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 335 PWD: 88
Name: **McGinnis Haverhill, Upper Mooring.**
Location: Mile 334.8, right bank Ohio River, Haverhill. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Phone: 614/377-4391
Town: Haverhill State: OH County: Scioto
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.570833
Total Berthing Space (feet): 1400 | | Longitude (decimal): -82.81306
Remarks: Facility has capacity for mooring 30 barges arranged in 6 tiers, each 5 barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41646 Dock Code: 201 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 336 PWD: 90
Name: **Aristech Chemical Co., Haverhill Plant Dock.**
Location: Mile 336.4, right bank Ohio River, Haverhill. Datum: NPE
Operator: Aristech Chemical Co.
Owner: Aristech Chemical Co.
Address: U.S. Highway 52 and Ohio Furnace Road Phone: 614/533-5224
Town: Haverhill State: OH County: Scioto
Railway Connection: One surface track serves plant in rear; connects with Norfolk and Western Railway.
Purpose: Shipment of acetone, aniline, alpha methyl styrene, oxidate water and phenol; receipt of cumene and occasionally fuel oil.
Depth Alongside (feet): 18 | | Latitude (decimal): 38.585833
Total Berthing Space (feet): 450 | | Longitude (decimal): -82.83861
Remarks: One 8-, three 6-, and one 4-inch pipelines extend from wharf to 22 steel storage tanks at rear, total capacity 17,000 gallons.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41644 Dock Code: 501 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 337 PWD: 40
Name: **Addington Resources, Inc.**
Location: Mile 336.6, left bank, Ohio River, Greenup. Datum: NPE
Operator: Not operated.
Owner: Addington Resources, Inc.
Address: Main Street Phone: 614/532-5322
Town: Greenup State: KY County: Greenup
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.583056
Total Berthing Space (feet): 1560 | | Longitude (decimal): -82.84167
Remarks: At time of survey (1991), open storage area at rear with capacity for 200,000 tons of coal was empty and facility had not been in use for 5 years; however, facilities were being maintained in operable condition.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41645 Dock Code: 601 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 345 PWD: 91
Name: **Norfolk Southern, Wheelersburg Terminal Dock.**
Location: Mile 344.7, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Norfolk Southern Corp.
Owner: Norfolk Southern Corp.
Address: Hayport Road Phone:
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Norfolk & Western Railway: Three surface tracks, with total capacity for 500 cars, serve rotary dumper, loading spout, and open storage area at rear.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.697222
Total Berthing Space (feet): 2400 | | Longitude (decimal): -82.87694
Remarks: Facility has capacity for mooring 55 barges. Open storage area at rear has capacity for 700,000 tons of coal.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41636 Dock Code: 401 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 347 PWD: 92
Name: **McGovney River Terminal, Wheelersburg Fleet Mooring.**
Location: Mile 346.9, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: McGovney River Terminal and McGinnis, Inc.
Owner: McGovney Realty Co.
Address: Hayport Road Phone: 614/353-4111
Town: Wheelersburg State: OH County: Scioto
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 15 | 10 | Latitude (decimal): 38.727778
Total Berthing Space (feet): 60 | 800 | Longitude (decimal): -82.87028
Remarks: Facility has capacity for mooring 16 barges arranged in 4 tiers, each 4 barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41634 Dock Code: 101 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 347 PWD: 94
Name: **The Standard Slag Co., Wheelersburg Center Dock.**
Location: Mile 347.2, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve open storage area at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of crushed limestone, pitch, fluorspar, ferro alloys, flint clay, gypsum, salt, magnesite, chrome ore, and slag; shipment of clay.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.732222
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.87139
Remarks: Approximately 100 acres of open storage area is located at terminal in rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41633 Dock Code: 801 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 347 PWD: 95
Name: **The Standard Slag Co., Wheelersburg Lower Dock.**
Location: Mile 347.3, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal; receipt of crushed limestone and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.733056
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.87139
Remarks: -
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41633 Dock Code: 801 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 347 PWD: 93
Name: **The Standard Slag Co., Wheelersburg Upper Dock.**
Location: Mile 347.0, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.730833
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.87139
Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Breasting dolphins are in line with upstream dolphin of Center Dock (Ref No. 94) providing added berthing space. Three adjacent company-owned wh 93 - 95) provide a total contiguous berthing distance of approximately 1,300 feet, with capacity for mooring 9 barges.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Dock Code: 801 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 349 PWD: 96
Name: **BP Oil Co., Sciotoville Wharf.**
Location: Mile 349.2, right bank Ohio River, Sciotoville. Datum: NPE
Operator: BP Oil Co.
Owner: BP Oil Co.
Address: 106 Harding Street Phone: 614/776-7979
Town: Sciotoville State: OH County: Scioto
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.754722
Total Berthing Space (feet): 150 | | Longitude (decimal): -82.89222
Remarks: Two 8- and one 6-inch pipelines extend from wharf to 9 steel storage tanks at terminal in rear, total capacity 123,500 barrels.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41632 Dock Code: 201 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 351 PWD: 39
Name: **Kentucky-Ohio Transportation Co., South Shore Terminal Dock.**
Location: Mile 350.8, Ohio River bank, Ohio River, South Shore. Datum: NPE
Operator: Kentucky-Ohio Transportation Co.
Owner: Kentucky-Ohio Transportation Co.
Address: U.S. Highway 23 and Johnson Lane. Phone: 606/932-3101
Town: South Shore State: KY County: Greenup
Railway Connection: One surface track serves rotary car dumper, joins 5 storage tracks with total capacity for 500 cars, connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.748333
Total Berthing Space (feet): 2500 | | Longitude (decimal): -82.91889
Remarks: Automatic samplers, belt scales, rail car loading spout, and open storage area with capacity for 1,500,000 tons of coal are located at rear. Empty barges are stored in a block 3 long by 5 wide at 3 permanently-mo steel floats located at bank on lower side of wharf and 40 loaded barges can be handled at wharf.
Year of Last Survey: 1991 Corps of Eng'rs Waterway Code: 41630 Dock Code: 202 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 352 PWD: 38
Name: **MarkWest Hydrocarbon, Siloam Fractionation Plant Dock.**
Location: Mile 351.6, left bank, Ohio River, South Shore. Datum: NPE
Operator: MarkWest Hydrocarbon Partners, Ltd.
Owner: MarkWest Hydrocarbon Partners, Ltd.
Address: U.S. Highway 23. Phone: 606/932-3111
Town: South Shore State: KY County: Greenup
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Shipment of gasoline, butane, isopentane and liquefied petroleum gas (see Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 38.743611
Total Berthing Space (feet): 160 | | Longitude (decimal): -82.93222
Remarks: One 6-inch pipeline extends to wharf from 2 gasoline storage tanks, total capacity 16,600 barrels, and one 6-inch pipeline extends to wharf from under-ground butane storage cavern, total capacity 71,400 barrels. facilities for handling isopentane and liquefied petroleum gas had not yet been installed.
Year of Last Survey: 1991 Corps of Eng'rs Waterway Code: 41630 Dock Code: 093 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 352 PWD: 97
Name: **New Boston Industrial Corp. Wharf.**
Location: Mile 351.7, right bank Ohio River, New Boston. Datum: NPE
Operator: Not operated.
Owner: John Pizzuto.
Address: Foot of West Avenue Phone: 614/354-1902
Town: New Boston State: OH County: Scioto
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.746389
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.93694
Remarks: At time of survey (1991), plans called for construction of an industrial park complex on site of former coke reduction plant in rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41630 Dock Code: 701 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 353 PWD: 98
Name: **Norfolk & Western Railway Co., Portsmouth Fuel Oil Dock.**
Location: Mile 352.7, right bank Ohio River, Portsmouth. Datum: NPE
Operator: Norfolk & Western Railway Co.
Owner: Norfolk & Western Railway Co.
Address: Foot of West Avenue Phone: 614/353-4529
Town: Portsmouth State: OH County: Scioto
Railway Connection: Norfolk and Western Railway: Portsmouth Yard located in rear.
Purpose: Receipt of diesel fuel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.739444
Total Berthing Space (feet): 160 | | Longitude (decimal): -82.95111
Remarks: One 8-inch pipeline extends from cell to 2 steel storage tanks in rear, total capacity 47,600 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41629 Dock Code: 301 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 354 PWD: 99
Name: **McGovney River Terminal, High Dock.**
Location: Mile 353.9, right bank Ohio River, Portsmouth. Datum: NPE
Operator: McGovney Ready-Mix, Inc.
Owner: McGovney Realty, Inc.
Address: 55 River Avenue. Phone: 614/353-4111
Town: Portsmouth State: OH County: Scioto
Railway Connection: Two surface tracks serve facility at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of miscellaneous dry bulk commodities including fertilizer, refractory materials, sand, and crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.729722
Total Berthing Space (feet): 135 | | Longitude (decimal): -82.97
Remarks: Approximately 25 acres of open storage area at rear for dry bulk commodities.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41627 Dock Code: 946 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 354 PWD: 100
Name: **McGovney River Terminal, Low Dock.**
Location: Mile 354.0, right bank Ohio River, Portsmouth. Datum: NPE
Operator: McGovney Ready-Mix, Inc.
Owner: McGovney Realty, Inc..
Address: Phone: 614/353-4111
Town: Portsmouth State: OH County: Scioto
Railway Connection: Two surface tracks serve facility at rear; connect with Norfolk and Western Railway.
Purpose: Receipt and shipment of steel products; and receipt of dry bulk commodities including fertilizer, sand, refractory materials and crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.729444
Total Berthing Space (feet): 745 | | Longitude (decimal): -82.97056
Remarks: One 36,000- and one 24,000-square foot bulk storage buildings located at rear. Terminal has capacity for mooring 20 barges.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41627 Dock Code: 946 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 390 PWD: 101
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Location: Mile 389.6, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.,
Owner: The Dayton Power and Light Co.,
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.686389
Total Berthing Space (feet): 3700 | | Longitude (decimal): -83.48111
Remarks: Open storage area at rear has capacity for 700,000 tons of coal. Wharf has capacity to hold 20 loaded and 20 empty barges arranged in tiers up to 5-wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41590 Dock Code: 401 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 390 PWD: 102
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Location: Mile 390.1, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.690556
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.48667
Remarks: One 10-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 64,000 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41590 Dock Code: 401 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 391 PWD: 103
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Location: Mile 390.6, right bank Ohio River, Manchester. Datum: NPE
Operator: Not operated.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; connects with plant trackage.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.694722
Total Berthing Space (feet): 175 | | Longitude (decimal): -83.49333
Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1983) from a similar facility on opposite bank (Ref. No. 33).
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41590 Dock Code: 401 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 403 PWD: 37
Name: **Dravo Lime Co., Maysville Division Coal Dock.**
Location: Mile 403.0, left bank, Ohio River, Maysville. Datum: NPE
Operator: Dravo Lime Co., Maysville Division.
Owner: Dravo Lime Co., Maysville Division.
Address: Springdale Road. Phone: 606/564-9617
Town: Maysville State: KY County: Mason
Railway Connection: Three surface tracks serve loading spout at rear; connect with CSX Rail Transport.
Purpose: Shipment of crushed limestone; receipt of coal.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.620278
Total Berthing Space (feet): 1000 | | Longitude (decimal): -83.66833
Remarks: Open storage area at rear has capacity for 50,000 tons of crushed limestone and 15,000 tons of coal. Additional open storage area is available at quarry. A company-operated fleeting area directly across the river permanently moored spar barges and has capacity for 15 barges arranged in a block 5 barges long by 5- wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41578 Dock Code: 002 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 403 PWD: 36
Name: **Dravo Lime Co., Maysville Division Lime Dock.**
Location: Mile 403.2, left bank, Ohio River, Maysville. Datum: NPE
Operator: Dravo Lime Co., Maysville Division.
Owner: Dravo Lime Co., Maysville Division.
Address: Springdale Road. Phone: 606/564-9617
Town: Maysville State: KY County: Mason
Railway Connection: Three surface tracks serve loading spout at rear; connect with CSX Rail Transport.
Purpose: Shipment of processed lime.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.620556
Total Berthing Space (feet): 1000 | | Longitude (decimal): -83.67111
Remarks: Three concrete silos with total capacity for 62,000 tons are located at lime processing plant in rear.
Year of Last Survey: 1991 Corps of Eng'rs Waterway Code: 41578 Dock Code: 002 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 405 PWD: 35
Name: **Maysville Dredging Co. Dock.**
Location: Mile 405.1, left bank, Ohio River, Maysville. Datum: NPE
Operator: Maysville Dredging Co.
Owner: Lexington Quarry Co.
Address: State Highway 10 Phone: 606/564-3343
Town: Maysville State: KY County: Mason
Railway Connection: None.
Purpose: Receipt of sand and gravel; occasional receipt of granular fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.631111
Total Berthing Space (feet): 525 | | Longitude (decimal): -83.70333
Remarks: Open storage area at rear has capacity for 250,000 tons of sand and gravel. The conveyor system is only used occasionally.
Year of Last Survey: 1991 Corps of Eng'rs Waterway Code: 41576 Dock Code: 002 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 405 PWD: 104
Name: **The Dayton Power and Light Co., J.M. Stuart Electric Generating St**
Location: Mile 404.5, right bank Ohio River, Aberdeen. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: Phone: 513/549-2641
Town: Aberdeen State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | 12 Latitude (decimal): 38.634722
Total Berthing Space (feet): 2800 | | 48 Longitude (decimal): -83.69222
Remarks: Open storage area at rear, served by a 165-foot radial stacker has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 48 loaded barges at downstream end and 48 empty barges at upstream end, each each 8-wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41576 Dock Code: 501 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 405 PWD: 105
Name: **The Dayton Power and Light Co., J.M. Stuart Electric Generating St**
Location: Mile 405.2, right bank Ohio River, Aberdeen. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: Phone: 513/549-2641
Town: Aberdeen State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; joins additional plant trackage.
Purpose: Handling construction materials. (See Remarks.)
Depth Alongside (feet): 15 - 2 | | Latitude (decimal): 38.639167
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.70278
Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1980) from a similar facility on opposite bank. At time of survey, the 60 foot float berth had shoaled severely and was not usable.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41575 Dock Code: 801 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 406 PWD: 33
Name: **The Dayton Light and Power Co., Maysville Dock.**
Location: Mile 406.4, left bank, Ohio River, Maysville. Datum: NPE
Operator: Not operated.
Owner: The Dayton Light and Power Co.
Address: Foot of Winchester Street. Phone: 513/549-2641
Town: Maysville State: KY County: Mason
Railway Connection: One surface track extends to face; connects with Transkentucky Transportation Railroad.
Purpose: Not used (See Remarks).
Depth Alongside (feet): | | Latitude (decimal): 38.640278
Total Berthing Space (feet): 80 | | Longitude (decimal): -83.72472
Remarks: Slip formerly was used for shipment of equipment and materials during construction of the Killen and J.M. Stuart Electric Generating Stations on the opposite bank at miles 389.6 and 404.5 respectively. At time of the facility had shoaled severely and had not been in use for 8 years.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41575 Dock Code: 801 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 406 PWD: 34
Name: **Transcontinental Terminals Maysville Wharf.**
Location: Mile 405.9, left bank, Ohio River, Maysville. Datum: NPE
Operator: Transcontinental Terminals, Inc.
Owner: Transcontinental Terminals, Inc.
Address: State Highway 10 Phone: 606/564-6763
Town: Maysville State: KY County: Mason
Railway Connection: Transkentucky Transportation Railroad: One surface track serving twin undertrack pits and one bypass track join 6 storage tracks with total capacity for 180 cars.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.638333
Total Berthing Space (feet): 525 | | Longitude (decimal): -83.71833
Remarks: Facility has capacity for mooring 24 empty- and 24 loaded- barges 6-long by 4-wide at shore moorings located below and above wharf, respectively.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41575 Dock Code: 002 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 408 PWD: 32
Name: **Crouse Corp., Maysville Dock.**
Location: Mile 408.1, left bank, Ohio River, Maysville. Datum: NPE
Operator: Crouse Corp.
Owner: Crouse Corp.
Address: Foot of Commerce Street. Phone: 606/564-6843
Town: Maysville State: KY County: Mason
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.646389
Total Berthing Space (feet): 175 | | Longitude (decimal): -83.755
Remarks: None.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41572 Dock Code: 702 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 409 PWD: 106
Name: **Maysville Ready-Mix Concrete Co., Aberdeen River Terminal Dock.**
Location: Mile 408.5, right bank Ohio River, Aberdeen, immediately below Maysville-Aberdeen Datum: NPE
(U.S. Highways 62 and
Operator: Maysville Ready-Mix Concrete Co., Inc.
Owner: Maysville Ready-Mix Concrete Co., Inc.
Address: Foot of Main Cross Street. Phone: 606/564-4081
Town: Aberdeen State: OH County: Brown
Railway Connection: None.
Purpose: Receipt of concrete aggregate.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.651944
Total Berthing Space (feet): 100 | | Longitude (decimal): -83.75889
Remarks: -
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41572 Dock Code: 501 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 414 PWD: 31
Name: **East Kentucky Power Cooperative, Spurlock Power Station Dock.**
Location: Mile 414.1, left bank, Ohio River, Maysville. Datum: NPE
Operator: East Kentucky Power Cooperative, Inc.
Owner: East Kentucky Power Cooperative, Inc.
Address: State Highway 8 Phone: 606/883-3166
Town: Maysville State: KY County: Mason
Railway Connection: Five surface tracks, total capacity 300 cars, serve rotary car dumper at plant in rear;
connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.704722
Total Berthing Space (feet): 2350 | | Longitude (decimal): -83.81972
Remarks: Open storage area at rear has capacity for 350,000 tons of coal. Wharf has capacity to hold 25 barges
arranged in tiers up to 5-wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41567 Dock Code: 011 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 441 PWD: 30
Name: **Dravo Lime Co., Black River Division, Lime and Coal Dock.**
Location: Mile 441.1, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Four surface tracks serving lime plant at rear connect with CSX Rail Transport.
Purpose: Shipment of lime and receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.834444
Total Berthing Space (feet): 1400 | | Longitude (decimal): -84.23722
Remarks: At time of survey (1991), facility was under construction and details of handling equipment had not
been finalized. Three coal storage bins at rear have total capacity for 1,800 tons and bin storage at
lime plant approximately 10,000 tons. At mile 427.1, approximately 14 miles above wharf, The Augusta
Ferriage Co. operates a passenger and vehicular ferry crossing during the hours 8:00 AM to 6:00 PM
between ramps at and across community of Augusta, KY, on the left bank.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41539 Dock Code: 402 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 442 PWD: 28
Name: **Dravo Lime Co., Black River Division, Hydrate Lime Dock.**
Location: Mile 441.7, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Occasional shipment of hydrated lime.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 38.843611
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23861
Remarks: Normally a breasting barge is used to provide a deeper berth. Three steel storage tanks at rear have total capacity for 1,200 tons of hydrated lime.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41539 Dock Code: 402 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 442 PWD: 29
Name: **Dravo Lime Co., Black River Division, Limestone Loading Dock.**
Location: Mile 441.5, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Shipment of crushed limestone and lime.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.841111
Total Berthing Space (feet): 1570 | | Longitude (decimal): -84.23833
Remarks: Open storage area at rear has capacity for 1,000,000 tons of crushed limestone. Bulk lime is loaded at a rate of 700 tons per hour.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41539 Dock Code: 402 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 443 PWD: 107
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Construct**
Location: Mile 443.0, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Mooring miscellaneous vessels; occasionally handling construction materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.845833
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23222
Remarks: -
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41537 Dock Code: 901 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 443 PWD: 108
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Lime and**
Location: Mile 443.1, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of lime and fuel oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.848056
Total Berthing Space (feet): 1520 | | Longitude (decimal): -84.23222
Remarks: Two concrete storage silos at plant in rear have total capacity for 30,000 tons of lime. One 8-inch pipeline extends from wharf to 2 steel fuel oil storage tanks, total capacity 71,400 barrels. Four loaded barges upstream cells, unloaded barges are placed at the empty barge storage area described under the Coal Unloading Dock (Ref. No. 109).
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41537 Dock Code: 901 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 444 PWD: 109
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Coal Unl**
Location: Mile 443.5, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.852778
Total Berthing Space (feet): 2130 | | Longitude (decimal): -84.23194
Remarks: Open storage area at rear has capacity for 500,000 tons of coal. Twenty-four empty barges can be held at the 7 upper cells arranged in 6 tiers each 4 barges wide; 36 loaded barges can be stored at the 10 downstre arranged in 9 tiers each 4 barges wide. Two additional cells perpendicular to upper end of loaded barge mooring anchor a 90- by 50-foot irregularly-shaped steel float to provide a towboat mooring.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Dock Code: 901 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 453 PWD: 111
Name: **Cincinnati Gas & Electric Co., Walter C. Beckjord Station Coal Unl**
Location: Mile 453.1, right bank Ohio River, New Richmond. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: U.S. Highway 52. Phone: 513/553-5556
Town: New Richmond State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | | 15 Latitude (decimal): 38.991944
Total Berthing Space (feet): 440 | | 20 Longitude (decimal): -84.29806
Remarks: Open storage area at rear has capacity for 300,000 tons of coal. Additional loaded barges can be held at shore moorings below wharf and at Fuel Oil Dock (Ref. No. 110). Empty barges are moored at shore moorings a Dock. Facility has capacity for mooring a total of 50 loaded and 30 empty barges.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41527 Dock Code: 801 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 453 PWD: 110
Name: **Cincinnati Gas & Electric Co., Walter C. Beckjord Station Fuel Oil**
Location: Mile 452.9, right bank Ohio River, Blairsville. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: U.S. Highway 52. Phone: 513/553-5556
Town: New Richmond State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of fuel oil; mooring coal barges (see Ref. No. 111).
Depth Alongside (feet): 15 | | Latitude (decimal): 38.989444
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.29722
Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks, at plant in rear, total capacity 50,000 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41527 Dock Code: 801 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 458 PWD: 25
Name: **Mid-States Terminals, Silver Grove Terminal Wharf.**
Location: Mile 458.0, left bank, Ohio River, Silver Grove. Datum: NPE
Operator: Mid-States Terminals, Inc.
Owner: Countrymark, Inc.
Address: Morscher Road Phone: 606/781-2175
Town: Silver Grove State: KY County: Campbell
Railway Connection: One surface track serves undertrack pit and loading spout at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.04
Total Berthing Space (feet): 560 | | Longitude (decimal): -84.37972
Remarks: Grain elevator in rear, consisting of 11 concrete silos and 1 steel storage tank, has capacity for 300,000 bushels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41523 Dock Code: 102 Louisville District

Port Series No. 62

Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
 Waterway: **Ohio River** Mile: 459 PWD: 27
 Name: **Agrico Chemical Co., Melbourne Terminal Wharf.**
 Location: Mile 458.7, left bank, Ohio River, Melbourne. Datum: NPE
 Operator: Agrico Chemical Co., Division of Freeport McMoran Resource Partners.
 Owner: Agrico Chemical Co., Division of Freeport McMoran Resource Partners.
 Address: State Highway 8 Phone: 606/441-5904
 Town: Melbourne State: KY County: Campbell
 Railway Connection: Two surface tracks, total capacity 25 cars, serve plant at rear; connect with CSX Rail Transport.
 Purpose: Receipt of dry bulk fertilizer.
 Depth Alongside (feet): 11 | | Latitude (decimal): 39.034167
 Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.35139
 Remarks: Timber storage building at rear has capacity for 20,000 tons of fertilizer and is served by one truck and two rail car loading stations.
 Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41524 Dock Code: 002 Louisville District

Port: **Ohio River**
 Waterway: **Ohio River** Mile: 459 PWD: 26
 Name: **Silver Grove Fleeting Dock and Fleet.**
 Location: Miles 458.7, and 459.0 left bank, Ohio River, Silver Grove Datum: NPE
 Operator: Silver Grove Fleeting, Inc.
 Owner: Silver Grove Fleeting, Inc.
 Address: Morscher Road Phone: 606/781-3000
 Town: Silver Grove State: KY County: Campbell
 Railway Connection: None.
 Purpose: Mooring company-owned equipment; mooring barges for fleeting.
 Depth Alongside (feet): 10 | 8 - 10 | Latitude (decimal): 39.039722
 Total Berthing Space (feet): 175 | 1200 | Longitude (decimal): -84.37833
 Remarks: Fleeting area, located on downstream side of Ref. No. 25 has capacity for 30 barges arranged in a block 6 barges long by 5-wide. An additional 10 barges can be stored adjacent to Mooring Float.
 Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41522 Dock Code: 101 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 478 PWD: 14
Name: **Interstate Asphalt Co., Constance Plant Dock.**
Location: Mile 478.3, left bank, Ohio River, Constance. Datum: NPE
Operator: Interstate Asphalt Co.
Owner: Interstate Asphalt Co.
Address: 4400 River Road Phone: 606/689-4103
Town: Constance State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of crushed stone.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.076667
Total Berthing Space (feet): 376 | | Longitude (decimal): -84.63833
Remarks: Open storage area at rear is served by two stackers and has capacity for 200,000 cubic yards of material. Anderson Ferry (passenger and vehicular) operates on daily schedule between 6:00 AM and 8:00 PM during the months November through April and between 6:00 AM and 9:30 PM during the remainder of the year from landings located approximately 4,000 feet above wharf. The service has been in operati1817.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Dock Code: 822 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 481 PWD: 13
Name: **Ashland Oil Stringtown Dock.**
Location: Mile 480.9, left bank, Ohio River, Taylorsport. Datum: NPE
Operator: Various lessees.
Owner: Ashland Oil, Inc.
Address: River Road Phone:
Town: Taylorsport State: KY County: Boone
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.110556
Total Berthing Space (feet): 400 | | Longitude (decimal): -84.67667
Remarks: Facility was formerly used for shipment of crude oil, pipelines have been removed.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Dock Code: 870 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 483 PWD: 12
Name: **Morehead Marine Service/River Bend Marine Co. Wharf**
Location: Mile 482.5, left bank, Ohio River, Taylorsport. Datum: NPE
Operator: Morehead Marine Service, Inc. and River Bend Marine Co.
Owner: Morehead Marine Service, Inc.
Address: 6778 River Road Phone: 606/689-4730
Town: Taylorsport State: KY County: Boone
Railway Connection: None.
Purpose: Mooring barges for fleetings; mooring company-owned barges for maintenance and repair. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 39.107778
Total Berthing Space (feet): 1800 | | Longitude (decimal): -84.69889
Remarks: Morehead Marine Service, Inc. operates fleetings area with capacity for 64 barges consisting of 10 tiers, each 5 or 6 barges wide at shore moorings below wharf and 8 to 10 at upper 1,200-foot portion of wharf. Sev fleetings boats are also moored at upper end of wharf. River Bend Marine Co. operates lower 600-foot portion of wharf and performs repair work for various companies on a selective basis. Two floating drydocks are moored

Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 881 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 484 PWD: 149
Name: **Monsanto Co., Addyston Plastics Plant Wharf.**
Location: Mile 484.2, right bank Ohio River, Addyston . Datum: NPE
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: U.S. Highway 50. Phone: 513/467-2325
Town: Addyston State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of styrene, acrylonitrile, fuel oil, and methanol. Mooring barges for fleetings (See Remarks).
Depth Alongside (feet): 15 | | Latitude (decimal): 39.133333
Total Berthing Space (feet): 525 | | Longitude (decimal): -84.71389
Remarks: One 14-, two 8-, and one 6-inch pipelines extend from wharf to 7 steel storage tanks at rear.
Commodity Tanks Capacity Styrene 3
4,061,400 gallons Acrylonitrile 2 1,596,000 gallons Fuel
oilbarrelsMethanol 1 1,006,300 gallons CGB Marine Services maintains
their 'North Bend Fleet' at shore moorings below wharf with capacity for 100 barges arranged in 20 tie

Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 895 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 486 PWD: 151
Name: **Consolidated Grain & Barge Co. North Bend Terminal, Loading Dock.**
Location: Mile 486.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 200 Sunset Avenue Phone: 513/941-8200
Town: North Bend State: OH County: Hamilton
Railway Connection: Six surface tracks with capacity for 100 cars serve undertrack pit and loading spout at terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Shipment of dry bulk commodities, including salt, coal, and agricultural products.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.147222
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.74194
Remarks: One timber storage building at rear has capacity for 1,400 tons of dry bulk commodities. Facility is equipped for cleaning dry and liquid cargo barges.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 935 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 486 PWD: 150
Name: **Consolidated Grain & Barge Co. North Bend Terminal, Unloading Dock**
Location: Mile 485.7, right bank Ohio River, North Bend. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 200 Sunset Avenue Phone: 513/941-8200
Town: North Bend State: OH County: Hamilton
Railway Connection: Six surface tracks with capacity for 100 cars serve undertrack pit and loading spout at terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including salt, coal, and fertilizer.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.146944
Total Berthing Space (feet): 350 | | Longitude (decimal): -84.74
Remarks: Four concrete storage domes at rear have total capacity for 12,000 tons of dry bulk commodities. Approximately 5 acres of paved and 20 acres of unpaved open storage area at rear has capacity for approximately 15 materials. Facility has capacity for mooring 10 barges.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 935 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 487 PWD: 152
Name: **Chevron U.S.A., Cincinnati Facility Dock.**
Location: Mile 486.8, right bank Ohio River, North Bend. Datum: NPE
Operator: Not operated.
Owner: Chevron U.S.A., Inc.
Address: 9531 Brower Road. Phone: 513/353-1323
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track at loading rack in rear; connects with CSX Rail Transport.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.143889
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.75972
Remarks: Five 6-inch pipelines, blanked at time of survey extend from wharf to 24 steel storage tanks at refinery
in rear. Commodity
Tanks Capacity
Gasoline 11 596,000 Jet fuel and kerosene
8 78,900 No. 2 heating oil
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 939 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 488 PWD: 153
Name: **Koch Materials Co., Cincinnati Terminal Dock.**
Location: Mile 487.9, right bank Ohio River, North Bend. Datum: NPE
Operator: Koch Materials Co.
Owner: Koch Materials Co.
Address: 10100 Brower Road. Phone: 513/941-0550
Town: North Bend State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt of liquid asphalt and flux oil.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.133056
Total Berthing Space (feet): 380 | | Longitude (decimal): -84.77222
Remarks: One 10-inch pipeline extends from wharf to 13 steel storage tanks at terminal in rear, total capacity
240,000 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 980 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 489 PWD: 154
Name: **Kaiser Estech, Cincinnati Plant Wharf.**
Location: Mile 489.3, right bank Ohio River, North Bend. Datum: NPE
Operator: Kaiser Estech, Divisions of Vigoro Industries, Inc
Owner: Kaiser Estech, Divisions of Vigoro Industries, Inc
Address: 10743 Brower Road. Phone: 513/941-4100
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of anhydrous ammonia; shipment of liquid fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.116944
Total Berthing Space (feet): 200 | | Longitude (decimal): -84.77083
Remarks: One 10-inch pipeline extends from wharf to one 7,020,00-gallon anhydrous ammonia storage tank and one 6-inch pipeline extends to wharf from 2 liquid fertilizer tanks, total capacity 2,920,000 gallons.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 982 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 490 PWD: 155
Name: **Chevron U.S.A., Cincinnati Asphalt Terminal Wharf.**
Location: Mile 489.7, right bank Ohio River, North Bend. Datum: NPE
Operator: Chevron U.S.A., Inc.
Owner: Chevron U.S.A., Inc.
Address: 11001 Brower Road. Phone: 513/941-4400
Town: North Bend State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear, connect with CSX Rail Transport.
Purpose: Receipt and occasional shipment of asphalt and kerosene.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.113611
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.79333
Remarks: One 18-, one 12-, one 10-, three 8-, and one 6-inch pipelines extend from wharf to 25 tanks at terminal approximately one mile in rear, total capacity 1,700,000 barrels. One 2-inch steam line serves wharf.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 980 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 490 PWD: 157
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Coal Unloading Doc**
Location: Mile 490.1, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal; mooring loaded coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111944
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.80139
Remarks: Open storage area at rear has capacity for 600,000 tons of coal.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 989 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 490 PWD: 158
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Fuel Oil Dock.**
Location: Mile 490.3, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil; mooring empty coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111389
Total Berthing Space (feet): 850 | | Longitude (decimal): -84.80333
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 200,000 barrels.
Facility has capacity for mooring 48 empty coal barges arranged in 6 tiers, each 8 barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 989 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 490 PWD: 156
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant General Freight Do**
Location: Mile 490.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track extending to face, connects with CSX Rail Transport.
Purpose: Receipt of steel products, machinery, and heavy-lift items; mooring full coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.112778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.79778
Remarks: Crane is available for public hire. Mooring facility has capacity for 48 loaded coal barges arranged in 6 tiers, each 8 barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 989 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 491 PWD: 159
Name: **Du Pont, Fort Hill Plant Dock.**
Location: Mile 490.7, right bank Ohio River, Miami Fort Station. Datum: NPE
Operator: E. I. du Pont de Nemours & Co. Inc.
Owner: E. I. du Pont de Nemours & Co. Inc.
Address: 11215 Brower Road. Phone: 513/941-4121
Town: Miami Fort Stat State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Shipment of sulfuric acid.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.109444
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.80972
Remarks: One 6-inch pipeline extends to wharf from one 250,000 gallon steel storage tank at rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41503 Dock Code: 995 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 494 PWD: 162
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Fuel Oil Unloadi**
Location: Mile 494.2, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.078889
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.86056
Remarks: One 8-inch pipeline extends from wharf to one 20,200-barrel steel storage tank at plant in rear.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Dock Code: 001 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 494 PWD: 161
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Lower Coal Unloa**
Location: Mile 494.0, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.080556
Total Berthing Space (feet): 1500 | | Longitude (decimal): -84.85861
Remarks: Main and auxiliary open storage areas at rear have capacities for 150,000 and 300,000 tons of coal, respectively.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Dock Code: 001 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 494 PWD: 160
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Upper Coal Unloa**
Location: Mile 493.9, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.083611
Total Berthing Space (feet): 1970 | | Longitude (decimal): -84.85528
Remarks: Open storage area at rear has capacity for 500,000 tons of coal. Wharf has capacity for mooring 30 full coal barges arranged in 5 tiers, each 6 barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41488 Dock Code: 001 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 497 PWD: 164
Name: **Consolidated Grain & Barge Co., Aurora Terminal, Lower Wharf.**
Location: Mile 496.7, right bank Ohio River, Aurora. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 403 George Street Phone: 812/926-0740
Town: Aurora State: IN County: Dearborn
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.058056
Total Berthing Space (feet): 330 | | Longitude (decimal): -84.89667
Remarks: -
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41483 Dock Code: 301 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 497 PWD: 163
Name: **Consolidated Grain & Barge Co., Aurora Terminal, Upper Wharf.**
Location: Mile 496.5, right bank Ohio River, Aurora. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 403 George Street Phone: 812/926-0740
Town: Aurora State: IN County: Dearborn
Railway Connection: Two surface tracks serving 2 undertrack pits and 2 loading spouts at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.059444
Total Berthing Space (feet): 540 | | Longitude (decimal): -84.89639
Remarks: Grain elevator in rear consisting of 4 steel storage tanks, has total capacity for 200,000 bushels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41483 Dock Code: 301 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 498 PWD: 11
Name: **Northern Kentucky Aggregates, Petersburg Dock.**
Location: Mile 497.7, left bank, Ohio River, Petersburg. Datum: NPE
Operator: Northern Kentucky Aggregates.
Owner: Northern Kentucky Aggregates.
Address: 3745 Belleview Road Phone: 606/586-6610
Town: Petersburg State: KY County: Boone
Railway Connection: None.
Purpose: Shipment of sand and aggregate.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 39.044722
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.88722
Remarks: Quarry and open storage area at rear for 20,000 tons of material.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41483 Dock Code: 302 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 502 PWD: 10
Name: **Martin-Marietta Aggregates Central Division, Belleview Dock.**
Location: Mile 502.0, left bank, Ohio River, Belleview. Datum: NPE
Operator: Not operated.
Owner: Martin-Marietta Aggregates Central Division.
Address: State Highway 20. Phone: 317/824-0744
Town: Belleview State: KY County: Boone
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): | | Latitude (decimal): 38.995556
Total Berthing Space (feet): 790 | | Longitude (decimal): -84.83667
Remarks: Approximately 10 acres of open storage area is located at rear. At time of survey (1991), facility formerly used for shipment of sand and gravel from quarry in rear had not been in operation for 10 years.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41479 Dock Code: 002 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 511 PWD: 8
Name: **Cincinnati Gas and Electric Co., East Bend Station Coal Unloading**
Location: Mile 511.0, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.900278
Total Berthing Space (feet): 690 | 4500 | 4500 Longitude (decimal): -84.84694
Remarks: Open storage at rear has capacity for 225,000 tons of coal; at time of survey (1991) plans called for expanding capacity to 2,200,000 tons. Lower and Upper Dolphins have berthing area for 40 empty- and 40 loaded- arranged in blocks 8 barges long by 5-wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41470 Dock Code: 012 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 511 PWD: 9
Name: **Cincinnati Gas and Electric Co., East Bend Station Lime Unloading**
Location: Mile 510.7, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of lime.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900278
Total Berthing Space (feet): 590 | | Longitude (decimal): -84.855
Remarks: One concrete storage silo at rear has capacity for 13,100 tons of lime.
Year of Last Survey: 1991 Corps of Eng'rs Waterway Code: 41470 Dock Code: 012 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 512 PWD: 7
Name: **Cincinnati Gas and Electric Co., East Bend Station Construction Do**
Location: Mile 511.6, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Handling supplies and equipment for construction and maintenance.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900833
Total Berthing Space (feet): 200 | | Longitude (decimal): -84.83778
Remarks: -
Year of Last Survey: 1991 Corps of Eng'rs Waterway Code: 41470 Dock Code: 012 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 514 PWD: 165
Name: **Hilltop Basic Resources, Patriot Aggregate Plant Loading Dock.**
Location: Mile 514.0, right bank Ohio River, Patriot. Datum: NPE
Operator: Hilltop Basic Resources, Inc.
Owner: Hilltop Basic Resources, Inc.
Address: State Highway 156. Phone: 812/594-2293
Town: Patriot State: IN County: Switzerland
Railway Connection: None.
Purpose: Shipment of concrete aggregates.
Depth Alongside (feet): 14 | | Latitude (decimal): 38.886389
Total Berthing Space (feet): 1380 | | Longitude (decimal): -84.79472
Remarks: Three open storage areas at rear have total capacity for 150,000 tons of material. Wharf has mooring capacity for 25 barges in tiers up to 5-wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41467 Dock Code: 001 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 514 PWD: 166
Name: **Hilltop Basic Resources, Patriot Aggregate Plant Service Dock.**
Location: Mile 514.2, right bank Ohio River, Patriot. Datum: NPE
Operator: Hilltop Basic Resources, Inc.
Owner: Hilltop Basic Resources, Inc.
Address: State Highway 156. Phone: 812/594-2293
Town: Patriot State: IN County: Switzerland
Railway Connection: None.
Purpose: Mooring barges for cleaning and maintenance.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.885556
Total Berthing Space (feet): 390 | | Longitude (decimal): -84.79333
Remarks: -
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41467 Dock Code: 003 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 535 PWD: 6
Name: **Cleancoal Terminal Co. Wharf.**
Location: Mile 535.3, left bank, Ohio River, Ghent, approximately 3.5 miles below Markland Lock and Dam. Datum: NPE
Operator: Cleancoal Terminal Co.
Owner: Cleancoal Terminal Co.
Address: U.S. Highway 42. Phone: 502/347-5357
Town: Ghent State: KY County: Carroll
Railway Connection: One surface track at rear serves a rotary car dumper, joins 240 car capacity storage yard, and connects with The Carrollton Railroad.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.758056
Total Berthing Space (feet): 2000 | | Longitude (decimal): -85.01972
Remarks: Open storage area in rear is served by a stacker and has capacity for 400,000 tons of coal. Two 28 cubic yard diesel front end loaders are used for reclamation. Berthing area has capacity for 150 barges consisti empty barges 6-wide and full barges 4-wide.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41455 Dock Code: 702 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 536 PWD: 5
Name: **Kentucky Utilities Co., Ghent Generating Station Dock.**
Location: Mile 535.8, left bank, Ohio River, Ghent. Datum: NPE
Operator: Kentucky Utilities Co., Inc.
Owner: Kentucky Utilities Co., Inc.
Address: U.S. Highway 42. Phone: 502/347-5383
Town: Ghent State: KY County: Carroll
Railway Connection: Two unused surface tracks at plant in rear connect with The Carrollton Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.751944
Total Berthing Space (feet): 2800 | | Longitude (decimal): -85.03278
Remarks: One 10,000-ton concrete surge silo and open storage area for 750,600 tons of coal are located at plant in rear.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41446 Dock Code: 402 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 542 PWD: 4
Name: **Dow Corning Corp., Carrollton Plant Wharf.**
Location: Mile 541.5, left bank, Ohio River, Carrollton. Datum: NPE
Operator: Dow Corning Corp.
Owner: Dow Corning Corp.
Address: U.S. Highway 42. Phone: 502/732-4371 ext
Town: Carrollton State: KY County: Carroll
Railway Connection: Trackage serving plant in rear connects with The Carrollton Railroad.
Purpose: Receipt of methanol.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.707222
Total Berthing Space (feet): 150 | | Longitude (decimal): -85.11722
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 2,000,000 gallons.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 41440 Dock Code: 012 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 552 PWD: 1
Name: **Nugent Sand Co. Dock.**
Location: Mile 552.3, left bank, Ohio River, 5.0 miles above Madison (U.S. Highway 421) Bridge, Milton. Datum: NPE
Operator: Nugent Sand Co., Inc.
Owner: Nugent Sand Co., Inc.
Address: State Highway 36 Phone: 502/732-4352
Town: Milton State: KY County: Carroll
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 38.737222
Total Berthing Space (feet): 850 | | Longitude (decimal): -85.28111
Remarks: Open storage area at rear has capacity for 200,000 tons of sand and gravel. Floating crane berths at the outer end of a 120- by 30- foot grounded steel barge perpendicular to bank, located approximately 200 feet dolphin, and is used for cleaning barges berthed end to lower side of grounded barge.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 40429 Dock Code: 301 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 556 PWD: 167
Name: **Bennett's Towboat Service Wharf.**
Location: Mile 556.0, right bank Ohio River, Madison. Datum: NPE
Operator: Bennett's Towboat Service, Inc.
Owner: Bennett's Towboat Service, Inc.
Address: State Highway 156. Phone: 812/265-2272
Town: Madison State: IN County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.731667
Total Berthing Space (feet): 975 | | Longitude (decimal): -85.35611
Remarks: Four company-owned fleeting boats based here. Facility has capacity for mooring 25 barges arranged in 5 tiers, each 5 barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 40425 Dock Code: 001 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 558 PWD: 168
Name: **Bonnies Landing.**
Location: Mile 557.8, right bank Ohio River, Madison. Datum: NPE
Operator: Bonnie Belle, Inc.
Owner: City of Madison.
Address: 115 Vaughn Drive Phone: 812/265-2090
Town: Madison State: IN County: Jefferson
Railway Connection: None.
Purpose: Mooring restaurant boat and dinner cruise vessel 'Bonnie Belle'
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 38.731111
Total Berthing Space (feet): | 90 | Longitude (decimal): -85.37972
Remarks: Dinner cruise vessel 'Bonnie Belle' operates from wharf on a regular schedule during the period May through October.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 40423 Dock Code: 801 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 559 PWD: 169
Name: **Century Terminals Wharf.**
Location: Mile 558.9, right bank Ohio River, Madison. Datum: NPE
Operator: Century Terminals, Inc.
Owner: Century Terminals, Inc.
Address: 1107 First Street Phone: 815/226-5645
Town: Madison State: IN County: Jefferson
Railway Connection: One surface track serves facility at rear; connects with Madison Railroad.
Purpose: Receipt of dry bulk materials, steel products, and timber; shipment of grain.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.736388
Total Berthing Space (feet): 325 | | Longitude (decimal): -85.39944
Remarks: Three timber dome storage buildings at rear have total capacity for 24,000 tons of dry bulk materials.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 40422 Dock Code: 012 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 559 PWD: 170
Name: **Consolidated Grain and Barge Co., Madison Wharf.**
Location: Mile 559.0, right bank Ohio River, Madison. Datum: NPE
Operator: Consolidated Grain and Barge Co. and Midwest Terminal Co.
Owner: Charter Transportation and Terminal Co.
Address: 215 Marine Street Phone: 812/265-6505
Town: Madison State: IN County: Jefferson
Railway Connection: None.
Purpose: Shipment of grain; receipt of liquid fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.736667
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.40056
Remarks: Midwest Terminal Co.: One 6-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 1,500,000 gallons.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 40421 Dock Code: 901 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 559 PWD: 172
Name: **Indiana-Kentucky Electric Corp., Clifty Creek Station Upper Coal D**
Location: Mile 559.3, right bank Ohio River, Madison. Datum: NPE
Operator: Indiana-Kentucky Electric Corp.
Owner: Indiana-Kentucky Electric Corp.
Address: U.S. Highway 56. Phone: 812/265-8700
Town: Madison State: IN County: Jefferson
Railway Connection: One unused surface track at power plant in rear; connects with Madison Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.7375
Total Berthing Space (feet): 1900 | | Longitude (decimal): -85.41222
Remarks: Open storage area at rear has capacity for 1,200,000 tons of coal. Facility has capacity for mooring 39 loaded barges arranged in 5 tiers, each 7- an 8- barges wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 40421 Dock Code: 001 Louisville District

Port: **Ohio River**
Waterway: **Ohio River** Mile: 559 PWD: 171
Name: **Madison River Terminal Wharf.**
Location: Mile 559.0, right bank Ohio River, Madison. Datum: NPE
Operator: Madison River Terminal Inc.
Owner: Madison River Terminal Inc.
Address: 211 Marine Street Phone: 812/265-2256
Town: Madison State: IN County: Jefferson
Railway Connection: None.
Purpose: Receipt of dry bulk fertilizer, crushed stone, coal, and steel products; shipment of logs.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.736667
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.40139
Remarks: Approximately 2 1/2 acres of open storage area and a 150 by 30 foot storage building are located on shore at rear. At time of survey (1991), operator planned to place wharf and occupy site, however, all details h resolved.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 40421 Dock Code: 903 Louisville District

Port Series No. 62
Cincinnati, OH, and Ports on Ohio River Miles 317-560

Port: **Ohio River**
Waterway: **Ohio River** Mile: 560 PWD: 173
Name: **Indiana-Kentucky Electric Corp., Clifty Creek Station Lower Coal D**
Location: Mile 559.5, right bank Ohio River, Madison. Datum: NPE
Operator: Indiana-Kentucky Electric Corp.
Owner: Indiana-Kentucky Electric Corp.
Address: U.S. Highway 56. Phone: 812/265-8700
Town: Madison State: IN County: Jefferson
Railway Connection: One unused surface track at power plant in rear; connects with Madison Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.736944
Total Berthing Space (feet): 1800 | | Longitude (decimal): -85.415
Remarks: Conveyor system extends to open storage area described under Ref. No. 172. Facility has capacity for mooring 35 empty coal barges arranged in 5 tiers each 7 wide.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 40421 Dock Code: 001 Louisville District
